

## Product Specifications

### Lifting Bathtub GK BASIC+

#### Description

- Tub body and casing constructed of fibreglass with a gelcoated surface
- Frame made of stainless steel
- 4 height-adjustable feet
- Circulating rubber protection for tub
- Ergonomically designed tub ensures greater movement for user and ease of use by the care giver
- Touch panel for operating of up/down-function located on both long sides
- Tub fill via integrated fill-in shell
- Patient shower with white hose 2,100 mm (6' 11") and self-closing valve
- Manual drain assembly
- Two electric actuators for height-adjustment to any level
- Standard, commercially available valves and fittings
- System is free-standing, operable from all 4 sides
- No fittings projecting upwards

#### Technical Specifications

##### **Connections:**

- Hot and cold water, connector ½"
- Drain Ø 50 mm (2")
- Electrical requirements 230 V / 50 Hz; for other countries 115 V / 60 Hz

##### **Dimensions:**

- Width: 830 mm, Length: 1970 mm

##### **Working height:**

- Adjustable from 675 mm – 925 mm

##### **Capacity of Bath Tub:**

- Approx. 180 litres

#### Certificates

- ÖVGW, CE mark

**Make:** Krämer  
**Type:** GK BASIC+  
**Art.No.:** 3.900.00

## Product Specifications

### Options for GK BASIC+

#### Injector Disinfection

- Disinfection shower, operated via a manual shut-off valve, with red hose 2,000 mm (6' 7") and self-closing valve on handle
- System suitable for 1 L containers
- Feed of the disinfection liquid via injector and adjustable flow gauge

**Make:** Krämer  
**Type:** GK BASIC+ D  
**Art.No.:** 3.900.10

#### Hydromassage with 2 Jets

- Patented jet system, no plumbing or tubing running between jets, self-draining and disinfect able, ergonomically integrated with 2 jets in foot area of the tub
- Direction of jets adjustable
- Flow rate up to 1.5 L/s at a pressure regulation of 0 - 3 bar
- Removable jet covers for easier cleaning

**Make:** Krämer  
**Type:** GK BASIC+ H2  
**Art.No.:** 3.900.30

#### Pre Fill

- The tub fill, operated via chromed buttons, stops automatically at a pre-set level.
- A manual interruption is possible at any time (refill via shower).

**Make:** Krämer  
**Type:** GK BASIC+ FÜ  
**Art.No.:** 3.900.60

#### Tub Shorter Plate GK Basic+

- For smaller persons the foot space can be reduced by sliding the tub shorter plate, a plastic board with handle, into the corresponding incorporated grooves in the tub body.

**Make:** Krämer  
**Type:** GK BASIC+ WV  
**Art.No.:** 3.900.80

#### Connector with Massage Tube

*(only in connection with hydro massage)*

- For pressure jet massage treatment including massage tube and nozzle

**Make:** Krämer  
**Type:** GK BASIC+ AK  
**Art.No.:** 1.500.70

### Head Rest

- Can be fixed inside the tub via suction cup

**Make:** Krämer  
**Type:** GK BASIC+ KO  
**Art.No.:** 1.500.90

### Underwater Light with Colour Change

- Build into the foot end of the tub
- Activated via touch panel

**Make:** Krämer  
**Type:** GK BASIC+ UB  
**Art.No.:** 1.561.01

### Safety Bar in Pairs

- Two grab handles for additional support

**Make:** Krämer  
**Type:** GK BASIC+ HA  
**Art.No.:** 3.800.40

### Backflow Preventer 12/12

- Backflow preventer for the sanitary piping

**Make:** Krämer  
**Type:** GK BASIC+ SY  
**Art.No.:** 6.200.93

### Turn Button Special 42 °C

- Temperature adjustment with more security; without special tools it cannot be turned up to more than 42 °C (value adjustable)

**Make:** Krämer  
**Type:** GK BASIC+ DS42  
**Art.No.:** 4.201.03

Effective 10/2014 - Technical changes reserved!