



CARETUA
WORKING TOGETHER WITH CARE

20
Years
ANNIVERSARY
2006 – 2026



Everyone in care will be kept **comfortable**,
safe and **secure** when protected by Caretua!

2026/2027 Catalogue


Our Product Range



20 Years
ANNIVERSARY
2006 – 2026



Disinfection



Bedroom



Showering & Changing




Washing & Bathing Care




Moving & Handling



Pressure Care



Monitoring



Spare Parts

Working Together with care is our Motto. We are in operation since 2006 and offer unbeatable customer service while providing top quality healthcare equipment.

We supply and service healthcare equipment and products to both the Irish & UK Healthcare Sector and the general public such as profiling hospital beds, pressure relief mattresses, patient lifting equipment; disabled baths, showering equipment, falls monitoring systems, bedpan washers and much more.

We also have a fully qualified team of engineers to service and maintain various healthcare products.

IRE - Dublin

U3, Westpoint Business Park,
Mulhuddart, Dublin 15, D15 R295.

P: +353 1 443 3390

UK

P: +44 (0)20 8133 3907

NI - Belfast

P: +44 (0)28 9581 8304

E: info@caretua.com

W: www.caretua.com



Beds & Accessories		
Lomond Community Bed		
Lomond Standard Bed		
Lomond Low Bed		
Lomond Floor2 Bed		
Lomond Bariatric Bed		
Lomond Rotate-Stand-Up Bed		
Bed Accessories		
Bed Safety & Bumpers		
Patient Wedges		
Side Safety Wedge Set		
Slide Sheets		
Overbed Tables		
Laundry & Washables		
Laundry Carts		
Laundry Bags		
Bed Pads		
Chair Pads		
Bibs		
Pillows & Duvets		
SensaStretch		
Walking Aids		
Aluminium Indoor Rollator		
Aluminium Rollator with Solid Back		
Lightweight Walker with Seat & Bag		
Lightweight Walker with Basket, Tray & Bag		
Ultra-Lite Carbon Rollators		
Aluminium Foldable Rollator		
Aluminium 2-in-1 Wheelchair Rollator		
NEW Powered Rollator		
NEW Strato-Cruise Mobility Scooter		
Toileting, Showering, Moving & Handling		
MoveAssist 200 Transfer Aid		
Powerlifter Stand-Aid 200		
Powerlifter Hoist Mini 135		
Powerlifter Hoist Midi 150		
Powerlifter Hoist Maxi 175		
Powerlifter Hoist Maxi 175-E		
Standing Turner		
Patient Support Belts		
Wheelchairs		
Aqua Shower Commode Chair		
Aqua Shower Commode Chair, Self-Propelled		
Aqua Shower Commode Chair, Bariatric		
Aqua Chair Tilt-in-Space		
Aqua Tilt-in-Space Hi-Lo Shower Commode Chair		
Showering & Toileting		
Evacuation		
Foam, Gel & Static Systems		
Product Overview		
Sensaflex Underlay		
05-14	Foam Mattress Sensaflex 500	42
06	Foam Mattress Sensaflex 1000	43
06	Foam Mattress Sensaflex 3000	43
07	Foam Mattress Sensaflex 4000	44
07	Foam Mattress Sensaflex 4500	45
08	Foam Cushions	46
08	Gel Cushions	47
09	Static Air - Cushion	48
10-11	Static Air - Bootees	48
12	Deluxe Heel Protector	48
13	Heel Protector	48
14		
Fall Prevention		
Product Overview		50
Deluxe Alertamat		51
Wood Alertamat		52
Alertamat Crash Mat		52
Floor+ Alertamat		53
Bed Alertamat		54
Chair Alertamat		55
Detect Motion PIR Sensor		56
Wireless Window/Door Sensor		56
Wall Point Receiver		57
Alerta Nurse Call Button		57
WetSense Mats		58
Accessories & Plug Identification		59
SafeHip Hip Protection		60-61
Alternating Air Systems		
Product Overview		63
Air Mattress Bubble 2 Overlay		64
Air Mattress Pearl Overlay		65
Air Mattress Emerald2 Overlay		66-67
Air Mattress Emerald Auto Overlay		68-69
Air Mattress Sapphire2 Replacement		70-71
Air Mattress Ruby2 Replacement		72-73
Air Mattress Ruby Auto Replacement		74-75
Air Mattress Ruby Turn Lateral Turning		76-77
Air Mattress Bariatric2 Replacement		78-79
Sensafo Hybrid Mattress		80-81
Sensafo Hybrid Cushion		82-83
Partner Air Cushion		84
Partner Plus Air Cushion		84
Mobile Battery Air Cushion		85
Product Selector Guide		86-87
Suction Machines & Nebulisers		
Suction Machines, Mains & Battery		88
Nebulisers		89
Diagnostics		
Thermometers, Non-Contact		90
Thermometers, Contact		90
Blood Pressure Monitor		90
Oximeter		90



CARETUA
WORKING TOGETHER WITH CARE



Beds & Accessories



Care Beds



20CM EXTENSION AVAILABLE

The **Alerta Lomond Community Bed** provides the ultimate balance between user care, functionality, economy and quality. It has all the functionality of the Lomond Standard including bed rails, and benefits from Trendelenburg and reverse Trendelenburg tilting feature. Alerta Lomond Community bed boasts a 30cm to 70cm Operating Height Ratio providing the perfect harmony of working levels for the carer and user heights for the patient. It can be dismantled for storage or transporting and is available in an Oak wood finish.


ALT-LB-CO LOMOND COMMUNITY BED, OAK

KEY FEATURES AND BENEFITS

- > 10 function lockable handset
- > Trendelenburg and reverse Trendelenburg tilting feature
- > Knee brake adjustment
- > Click stop lower leg raising elevation
- > Electrically adjustable backrest
- > Four robust braking 3" castors
- > Four-section mattress support with mattress grips
- > Extra high side rails available
- > 20cm bed length extension kit available
- > Tool-free assembling and dismantling

TECHNICAL SPECIFICATION

- > Maximum Safe Working Load: 200kg
- > Height Adjustment: 30 - 70cm
- > Outer Dimensions: 102 x 209cm
- > Mattress Platform Dimensions: 90 x 200cm



20CM EXTENSION AVAILABLE

The **Alerta Lomond Standard Bed** provides the perfect balance between budget, functionality and quality, and comes with the added benefit of Trendelenburg and reverse Trendelenburg tilting feature.

ALT-LB-SW LOMOND STANDARD BED, WALNUT


ALT-LB-SO LOMOND STANDARD BED, OAK

KEY FEATURES AND BENEFITS

- > 10 function lockable handset
- > Trendelenburg and reverse Trendelenburg tilting feature
- > Knee brake adjustment
- > Click stop lower leg raising elevation
- > Electrically adjustable backrest
- > Four robust braking 5" castors
- > Four-section mattress support with mattress grips
- > Extra high side rails available
- > 20cm bed length extension kit available
- > Tool-free assembling and dismantling
- > Transport system for storage and transporting

TECHNICAL SPECIFICATION

- > Max Safe Working Load: 200kg
- > Height Adjustment: 40 - 80cm
- > Outer Dimensions: 102 x 213cm
- > Mattress Platform Dimensions: 90 x 200cm



ALSO AVAILABLE IN OAK



20CM EXTENSION AVAILABLE

The **Alerta Lomond Low Bed** provides the ultimate balance between user care, functionality and quality. It has all the features of the Lomond Standard and comes with the added benefit of Trendelenburg and reverse Trendelenburg tilting feature. While being a very low bed, the Lomond Low also has the unique ability of its range extending from 20cm to 80cm high.

ALT-LB-LW LOMOND LOW BED, WALNUT


ALT-LB-LO LOMOND LOW BED, OAK

KEY FEATURES AND BENEFITS

- > 10 function lockable handset
- > Trendelenburg and reverse Trendelenburg tilting feature
- > Knee brake adjustment
- > Click stop lower leg raising elevation
- > Electrically adjustable backrest
- > Four robust braking 3" castors
- > Four-section mattress support with mattress grips
- > Extra high side rails available
- > 20cm bed length extension kit available
- > Tool-free assembling and dismantling
- > Transport system for storage and transporting

TECHNICAL SPECIFICATION

- > Max Safe Working Load: 250kg
- > Height Adjustment: 20 - 80cm
- > Outer Dimensions: 102 x 213cm
- > Mattress Platform Dimensions: 90 x 200cm



ALSO AVAILABLE IN WALNUT



20CM EXTENSION AVAILABLE

The **Alerta Lomond Floor2 Bed** is a unique ultra-low bed for pioneering user safety and care. It has all the features of the Lomond Low and comes with the added benefit of its range going down to just 9cm from the ground, **and auto regression backrest**. This facilitates the most specific and complex care requirements, while also reducing impact if the user rolls out of bed.

ALT-LB-FW LOMOND FLOOR BED, WALNUT


ALT-LB-FO LOMOND FLOOR BED, OAK

KEY FEATURES AND BENEFITS

- > 10 function lockable handset
- > Trendelenburg and reverse Trendelenburg tilting feature
- > Auto regression backrest
- > Knee brake adjustment
- > Click stop lower leg raising elevation
- > Electrically adjustable backrest
- > Four robust braking 3" castors
- > Four-section mattress support with mattress grips
- > Extra high side rails available
- > 20cm bed length extension kit available
- > Tool-free assembling and dismantling
- > Transport system for storage and transporting

TECHNICAL SPECIFICATION

- > Max Safe Working Load: 200kg
- > Height Adjustment: 9 - 70cm
- > Outer Dimensions: 102 x 213cm
- > Mattress Platform Dimensions: 90 x 200cm



ALSO AVAILABLE IN OAK



All Lomond Beds have a 3 year warranty on the bed frame and 2 years on the motors and electrics.
The beds can be dismantled for storage or transporting and are available in Oak and Walnut wood finish.



ALSO
AVAILABLE
IN OAK



20CM EXTENSION AVAILABLE

The **Alerta Lomond Bariatric 120cm Wide Bed** provides the ultimate balance between user care, functionality and quality. It has all the features of the Lomond Standard and has the added ability of its range extending from 20cm to 80cm high, and a 120cm wide platform.

ALT-LB-BW LOMOND BARIATRIC BED, WALNUT


ALT-LB-BO LOMOND BARIATRIC BED, OAK

KEY FEATURES AND BENEFITS

- > 10 function lockable handset
- > Trendelenburg and reverse Trendelenburg tilting feature
- > Knee brake adjustment
- > Click stop lower leg raising elevation
- > Electrically adjustable backrest
- > Four robust braking 3" castors
- > Four-section mattress support with mattress grips
- > Extra high side rails available
- > 20cm bed length extension kit available
- > Tool-free assembling and dismantling
- > Transport system for storage and transporting

TECHNICAL SPECIFICATION

- > Max Safe Working Load: 250kg
- > Height Adjustment: 20 - 80cm
- > Outer Dimensions: 132 x 213cm
- > Mattress Platform Dimensions: 120 x 200cm



The **Alerta Lomond Rotate-Stand-Up Bed** is a powered rotation bed to support users with unassisted transfers between lying in bed and standing, providing enhanced freedom, safety and care for the user.

The user can independently control the bed with the handset to transition from lying in bed to the seated position, and then rotating and standing up from the bed. The hand rails provide additional safety and assurance for the user when rotating and transferring in or out of the bed.

The **Alerta Lomond Rotate Bed** also features a battery back-up ensuring the bed never gets stuck in a sitting position in the event of a power cut. The bed can perform approx. 5 rotations on battery power.


ALT-LB-RO LOMOND ROTATE-STAND-UP BED, OAK

KEY FEATURES AND BENEFITS

- > 12 function lockable handset
- > Knee brake adjustment
- > Electrically adjustable backrest
- > Four robust braking 4" castors
- > Four-section mattress support with mattress grips
- > Tool-free assembling and dismantling
- > Memory foam articulated mattress included
- > Hand rails to assist onto and off the bed in chair position
- > One button function from lying to sitting
- > Battery back-up in case of mains failure

TECHNICAL SPECIFICATION

- > Max Safe Working Load: 250kg
- > Height Adjustment: 40 - 80cm
- > Outer Dimensions: 102 x 213cm
- > Mattress Width: 82cm



Bed Accessories

ALT-LB-EK90
LOMOND BED 20CM
EXTENSION KIT, 90CM WIDE

ALT-LB-EK120
LOMOND BED 20CM
EXTENSION KIT, 120CM WIDE



ALT-66
ALERTA FOAM MATTRESS 20CM
EXTENSION INSERT, 90 X 14CM

ALT-66B
ALERTA FOAM MATTRESS 20CM
EXTENSION INSERT, 120 X 16CM



ALT-LB-LSRW
LOMOND WALNUT LONG
SIDE RAILS, SET OF 4

ALT-LB-LSRO
LOMOND OAK LONG
SIDE RAILS, SET OF 4



ALT-LB-HSRW
LOMOND WALNUT
SINGLE HIGH SIDE RAIL

ALT-LB-HSRO
LOMOND OAK
SINGLE HIGH SIDE RAIL

ALT-LB-WP
LOMOND BED
WALL PROTECTOR



ALT-LB-AL
LOMOND BED
ASSISTING LEVER

ALT-LB-LP
LOMOND BED LIFTING POLE
> Comes with strap and handle

ALT-LB-MT
LOMOND BED
MOVING TROLLEY



Bed Safety & Bumpers

Alerta Medical bed protection is made with PU (Polyurethane Fabric) instead of PVC due to risks of Phthalates with PVC. PU is safer and higher quality, stretchable, breathable and serves a longer lifetime.



ALT-112 2 Bar Rail Bumpers with Netting



The **Alerta Bumpers with Net Inserts** are designed to zip onto side rails, providing protection for users in bed.

Net inserts are centred between the bed rails to improve visibility and comfort for the user.

Suitable for profiling beds with 2 side rails.

Also available in 20cm extended - code: ALT-115

ALT-113 3 Bar Rail Bumpers with Netting



The **Alerta Bumpers with Net Inserts** are designed to zip onto side rails, providing protection for users in bed.

Net inserts are centred between the bed rails to improve visibility and comfort for the user.

Suitable for profiling beds with 2 side rails and an additional 3rd high side rail attached.

ALT-114 Full Length Bed Rail Bumpers



The **Alerta Full Length Bed Rail Bumpers** are designed to velcro onto standard height wooden side rails, providing protection for users in bed.

Suitable for profiling beds with 2 side rails.

BREATHABLE | IMPERMEABLE | STRETCH | ANTIBACTERIAL | FR

ALT-118 2 Bar Rail Anti-Entrapment Bumpers with Netting



Alerta Anti-Entrapment Bumpers benefit from being connected with a mesh base which sits on the mattress platform of the bed underneath the mattress, forming a safety net to help prevent limb entrapment.

The **Alerta Anti-Entrapment Bumpers with Net Inserts** are designed to zip onto side rails, providing protection for users in bed. Net inserts are centred between the bed rails to improve visibility and comfort for the user.

Suitable for profiling beds with 2 side rails.



ALT-103 - Alerta Folding Crash Mat is designed to be placed next to the bed to minimise injury if the user should fall from bed. The mat incorporates triple fold design for easy storage and carry handles for ease of transport.

Alerta Folding Crash Mat is quick and easy to position and benefits from a PU wipe clean surface. When unfolded the mat is 190cm long x 60cm wide x 6cm high.



ALT-117 - Alerta Head & Foot Board Protector is designed to protect those in care from hard head and foot boards on their care bed. Made from a wipe clean fabric, each bumper is tapered to allow for tracking side rails and is easy to fit. Use in conjunction with side bumpers to create a comprehensive bed safety system.

Not compatible with Alerta Lomond Floor2 Bed.

KEY FEATURES & BENEFITS

- > Safety padding
- > 105cm wide
- > 58cm high
- > Wipe clean fabric
- > Tapered for neat side rail use
- > Use with Alerta side bumpers for all round protection

BREATHABLE | IMPERMEABLE | STRETCH | ANTIBACTERIAL | FR

Patient Wedges



ALT-PW-M1
ALERTA MEMORY FOAM
LIMB SUPPORT CUSHION

Limb support cushion with open-celled memory foam inner, used for ankle and knee spacing and positioning providing gentle cushioning and creating space between the legs.

25 x 19 x 13-15cm



ALT-PW-M2
ALERTA MEMORY FOAM
MULTI SUPPORT CUSHION

Multi-purpose support cushion with open-celled memory foam inner, used for all needed positioning areas, particularly the back.

49 x 32 x 8cm



ALT-PW-M3
ALERTA MEMORY FOAM
UNIVERSAL SUPPORT CUSHION

Universal support cushion with open-celled memory foam inner, used for all needed positioning areas, particularly knees, ankles, arms, neck and lower back.

49 x 19.5 x 10cm



ALT-PW-S
ALERTA PATIENT FOAM
WEDGE, SMALL (SLOPED)

Patient positioning wedge, small. Normally for use in prone position, to facilitate head, shoulder and arm movement, but also for use for support or elevation of the lower leg, or other positioning as required.


30 x 30 x 7.5-2.5cm



ALT-PW-M
ALERTA PATIENT FOAM
WEDGE, MEDIUM (SLOPED)

Patient positioning wedge, medium. Normally for use in prone position, to facilitate head, shoulder and arm movement, but also for use for support or elevation of the lower leg, or other positioning as required.

60 x 60 x 17.5-5cm



ALT-PW-L
ALERTA PATIENT FOAM
WEDGE, LARGE (SLOPED)

Patient positioning wedge, large. Normally for use in prone position, to facilitate head, shoulder and arm movement, but also for use for support or elevation of the lower leg, or other positioning as required.

60 x 60 x 25-5cm

ALT-116 - Alerta Safety Side Wedge Set is designed to protect those in care and help keep them comfortably positioned in bed. Made from high density foam with a wipe clean PU cover, it has a draw sheet and two built-in straps that secure the wedge set to the bed. 2 sets can be used down the length of the bed for extra protection if required.



KEY FEATURES & BENEFITS

- > Safety wedge
- > Draw sheet included
- > Wipe clean fabric
- > Straps for securing to the bed
- > 99cm wide x 94cm long x 20cm high



Packaged for retail

ALT-SS - Alerta Slide Sheets boast superior slide performance properties and are designed to facilitate nurses and carers with safe assisted repositioning and transfer of patients on a support surface.

Alerta Slide Sheets are tubular, reusable, and available in 5 convenient sizes. They are manufactured from a very strong highly durable quality fabric which creates an extremely low friction surface providing superior sliding performance during patient repositioning and transfers whilst protecting against skin shear. Alerta Slide Sheets are not intended for use to lift patients.

Fitted with a brightly coloured hanging loop allowing the sheet to be conveniently stored near the user.

KEY FEATURES AND BENEFITS

- > Brightly coloured hanging loop
- > Superior slide performance
- > Wash at a maximum of 80°C
- > Do NOT use fabric softener or chlorine
- > Slip hazard; Do not leave on the floor
- > Tubular and reusable

PRODUCT CODES

ALT-SS-S **SMALL 72 X 70CM**
ALT-SS-M **MEDIUM 122 X 70CM**
ALT-SS-L **LARGE 122 X 100CM**
ALT-SS-W **WIDE 145 X 100CM**
ALT-SS-XL **X-LARGE 200 X 140CM**

First measurement is open side



Overbed Tables



Walnut without castors Oak with castors

The **Alerta Overbed Table** provides easy access to everyday conveniences for users seated in a bed, chair or wheelchair.

It is finished in oak or walnut and comes with or without castors. The table has a laminate top with two adjusting points which allows both height and tilt adjustment and comes with raised edges to prevent items slipping off.

TECHNICAL SPECIFICATION

- > Max weight capacity: 10kg
- > Height adjustment range: 64-97cm
- > Table top dimensions: 61 x 40cm
- > Max Tilt angle: 34°

PRODUCT CODES

- | | |
|-----------|---|
| ALT-751O | ALERTA OAK OVERBED TABLE, NO CASTORS |
| ALT-751W | ALERTA WALNUT OVERBED TABLE, NO CASTORS |
| ALT-751OC | ALERTA OAK OVERBED TABLE, WITH CASTORS |
| ALT-751WC | ALERTA WALNUT OVERBED TABLE, WITH CASTORS |

KEY FEATURES AND BENEFITS



Walnut Oak

The **Alerta Gas Lift Overbed Table** features an easy lift handle to adjust the table height with minimal effort. It is finished in oak or walnut and comes with brakes on the two rear castors. The table has a laminate top and comes with either a straight leg base or a wheelchair accessible base design.


TECHNICAL SPECIFICATION

- > Straight Leg or Wheelchair access base
- > Braking castors
- > Max weight capacity: 15kg
- > Height adjustment range: 80-105cm
- > Table top dimensions: 80 x 40cm
- > Wheelchair Leg Base internal leg width clearance: 64 x 38cm
- > Table base height including castors: 10.5cm

PRODUCT CODES

- | | |
|-----------|---|
| ALT-GLS-O | ALERTA OAK GAS LIFT OVERBED TABLE, STRAIGHT LEG BASE |
| ALT-GLS-W | ALERTA WALNUT GAS LIFT OVERBED TABLE, STRAIGHT LEG BASE |
| ALT-GLW-O | ALERTA OAK GAS LIFT OVERBED TABLE, WHEELCHAIR LEG BASE |
| ALT-GLW-W | ALERTA WALNUT GAS LIFT OVERBED TABLE, WHEELCHAIR LEG BASE |

KEY FEATURES AND BENEFITS



Laundry & Washables

Laundry Carts & Bags



The **Alerta Laundry Cart** range is specifically designed to simplify the life of the housekeeper in Care Home and Hospital environments. Crafted from robust steel construction, the carts glide easily over Care Home and Hospital floor surfaces on the easy-glide braked castors, further enhanced with plastic bumper protection.

The Single, Double, Triple and Quadruple Bag Cart design optimises, speeds up and streamlines the collection and segregation of soiled linen on an industrial scale, delivering labour efficiencies and improving hygiene standards.

Alerta Laundry Cart is supplied with colour coded lids for ease of sorting. Bags sold separately.

Carts can be ordered as single, double, triple or quadruple.

- ALT-LYC/1** **ALERTA LAUNDRY CART, SINGLE BAG**
(white lid supplied)
 - ALT-LYC/2** **ALERTA LAUNDRY CART, DOUBLE BAG**
(white and red lids supplied)
 - ALT-LYC/3** **ALERTA LAUNDRY CART, TRIPLE BAG**
(white, red and blue lids supplied)
 - ALT-LYC/4** **ALERTA LAUNDRY CART, QUADRUPLE BAG**
(white, red, blue and green lids supplied)
-
- ALT-LCL/B** **ALERTA LAUNDRY CART SPARE LID BLUE**
 - ALT-LCL/G** **ALERTA LAUNDRY CART SPARE LID GREEN**
 - ALT-LCL/R** **ALERTA LAUNDRY CART SPARE LID RED**
 - ALT-LCL/W** **ALERTA LAUNDRY CART SPARE LID WHITE**

ALERTA LINEN BAG

- > Tough polyester construction
- > Heavy duty draw cord with toggle
- > Machine washable at 60-70°C
- > Machine dryable (low heat only)
- > Available in 5 colours
- > Linen Bag Size: 85x45cm

- ALT-LYB/W** **WHITE**
- ALT-LYB/B** **BLUE**
- ALT-LYB/Y** **YELLOW**
- ALT-LYB/G** **GREEN**
- ALT-LYB/R** **RED**



Washables

ALERTA WASHABLE BED PAD

- > 300 wash guarantee
- > Tough durable construction
- > Fully waterproof (integral barrier)
- > Generously sized tuck-in flaps
- > Machine washable
- > Machine dryable (low heat only)

- DBP/2** **2.1 LITRE ABSORBENCY, 72X90CM**
- DBP/3** **3.2 LITRE ABSORBENCY, 86X90CM**
- DBP/D** **4 LITRE ABSORBENCY, 86X140CM, DOUBLE**




Packaged for retail

ALERTA WASHABLE CHAIR PAD

- > 300 wash guarantee
- > Tough, durable construction
- > Fully waterproof (integral barrier)
- > Generously sized (50cm x 60cm)
- > Machine washable
- > Machine dryable (low heat only)
- > 1.0 litre absorbency capacity
- > Available in 5 colours

- DSP/BR** **BROWN**
- DSP/GR** **DARK GREEN**
- DSP/LC** **WINE**
- DSP/PB** **PETROL BLUE**
- DSP/TA** **TARTAN**



Packaged for retail

ALERTA BIB

- > 300 wash guarantee
- > Tough durable construction
- > Fully waterproof (integral barrier)
- > Machine washable
- > Machine dryable (low heat only)
- > Generous 45cm width
- > Length - 90cm
- > 2 stud fastening positions at neck




Packaged for retail



ALT-BIB-PS
TARTAN PINK
- 90CM



ALT-BIB-BL
TARTAN BLUE
- 90CM



ALT-BIB-PB
PLAIN BLUE
- 90CM



ALT-BIB-PG
PLAIN GREEN
- 90CM



ALT-BIB-PW
PLAIN WINE
- 90CM



Pillows & Duvets



- ALT-LLP **LONG-LIFE FR LUXURY WASHABLE PILLOW**
- ALT-LLDS **LONG-LIFE FR LUXURY WASHABLE DUVET - SINGLE**
- ALT-LLDD **LONG-LIFE FR LUXURY WASHABLE DUVET - DOUBLE**

Alerta's Long-Life Luxury Washable Pillow and Duvet feature a **100% quilted cotton outer**, offering a soft, smooth touch against the skin while allowing for natural breathability. The **100% polyester ball fibre filling** provides gentle yet supportive cushioning, offering excellent insulation and support.

In addition to their luxurious feel, they are both **flame retardant**, meeting rigorous safety standards for your peace of mind. The **washable design** ensures the pillow & duvet stay fresh and clean, even after multiple washes, maintaining their shape and support for the long term.

The 10.5 tog rating on the duvet provides the perfect balance of warmth and breathability, making it ideal for year-round use.

KEY FEATURES & BENEFITS

- > 100% quilted cotton outer
- > 100% polyester ball fibre filling
- > Washable
- > Breathable
- > Duvet is available in 2 different sizes
- > Flame retardant for added safety: Meets safety standards BS 7175

TECHNICAL SPECIFICATION

- > Pillow size: 50 x 70cm
 - > Duvet size (single): 140 x 200cm
 - > Duvet size (double): 200 x 200cm
- Available individually & bulk boxed**
- > ALT-LLP: Boxed in 14's
 - > ALT-LLDS: Boxed in 12's
 - > ALT-LLDD: Boxed in 8's

**SensaStretch
Soft-Knit Bed Sheets**



ALT-SKS - SensaStretch Soft-Knit Bed Sheets are designed primarily for use with air alternating and foam pressure relief mattresses. The **SensaStretch** sheet is very different to a conventional bedsheet, it fits easily over all air alternating and foam mattress systems, both overlay and deepcell, and is a distinguished, soft, multi-way stretch, **Superior Soft-Knit** sheet.

Alerta SensaStretch Soft-Knit multi-way stretch sheet uniquely preserves and enhances the benefits of pressure relief afforded by alternating air and foam pressure relieving mattress systems, over against standard sheets which do not stretch and consequently reduce the pressure relief, thereby defeating the purpose.


KEY FEATURES & BENEFITS

SensaStretch Soft-Knit	User Benefits	Caregiver Benefits	Laundry Benefits
> Multi-way stretch, no elastic > Superior Soft-Knit Luxury > White & Cream > 90cm Width	> Multi-way stretch > Improved pressure relief > Anti-wrinkle design > Superior Soft-Knit comfort	> 1 person fit > Faster fitting time > 1 sheet fits all mattresses > No ironing required	> No ironing required > Less laundry time



Preserves & enhances effectiveness of pressure relief mattresses

- ALT-SKS/C **SENSASTRETCH SOFT-KNIT BED SHEETS, CREAM**
- ALT-SKS/W **SENSASTRETCH SOFT-KNIT BED SHEETS, WHITE**



Multi-Way Stretch
SensaStretch Soft-Knit



Walking Aids

Walking Aids



ALT-R010/B Blue



ALT-R010/G Green



ALT-R010/R Red

The **Alerta Four-Wheel Aluminium Indoor Rollator** is an excellent personal home-help friend, equipped with a useful tray, bag, pull up break & push down hand-brake lock, easy swivel wheels, and features a robust, foldable frame and adjustable handle height. The lightweight narrow construction design offers easy transportation, and the sturdy aluminium frame gives stability and support when in use.

TECHNICAL SPECIFICATION

- > Handle height: 89-93.5cm
- > Max user weight: 120kg
- > Product weight: 5.24kg
- > Product dimensions: 57w x 65l
- > Tray size: 38 x 29cm
- > Basket size: 37w x 27l x 18d cm
- > Handle width (widest point): 41cm
- > Handle width (narrowest point): 28cm
- > Wheel size: 15cm
- > Space between front wheels: 44.5cm
- > Space between rear wheels: 48.5

KEY FEATURES & BENEFITS

- > Available in three colours (blue, red, green)
- > Robust lightweight frame
- > Easy-fold for storage and transport
- > Handle lock safety feature
- > Storage basket
- > Contoured transport tray
- > Adjustable height handles
- > Robust 6" wheels for indoor use





ALT-R002
FOUR-WHEEL ALUMINIUM ROLLATOR WITH SOLID BACK

The **Alerta Four-Wheel Aluminium Rollator with Solid Back** is a feature rich walking aid to assist users both around the house and when out and about. It boasts a strong lightweight aluminium frame equipped with a padded seat for that essential rest, a bag and sturdy backrest, puncture proof tyres and robust build for the daily routines.

TECHNICAL SPECIFICATION

- > Handle height: 82 - 91cm
- > Seat height: 52cm
- > Max user weight: 136kg
- > Product weight: 6.5kg

KEY FEATURES & BENEFITS

- > Seat with sturdy backrest for users to rest
- > Robust lightweight aluminium frame
- > Quick fold design for easy transport and manoeuvrability
- > Handle lock safety feature
- > Spacious storage bag
- > Robust wheels for indoor and outdoor use
- > Detachable and foldable backrest
- > Hinged seat
- > Adjustable height handles



ALT-R004
THREE-WHEEL ALUMINIUM WALKER WITH SEAT & BAG

The **Alerta Three-Wheel Aluminium Walker** is equipped with a seat, backrest and storage pockets, and features a triangular foldable frame and adjustable handle height. It has robust 8" wheels and a lightweight frame for easy transport and manoeuvrability.

TECHNICAL SPECIFICATION

- > Handle height: 82-99cm
- > Seat height: 50cm
- > Max user weight: 135kg
- > Product weight: 6.25kg

KEY FEATURES & BENEFITS

- > Seat with backrest for users to rest
- > Robust aluminium frame
- > Aluminium and foldable for manoeuvrability and transport
- > Handle lock safety feature
- > Storage pockets
- > Robust 8" wheels for indoor and outdoor use



ALT-R014
THREE-WHEEL LIGHTWEIGHT WALKER WITH BASKET, TRAY & BAG

The **Alerta Three-Wheel Lightweight Walker** is equipped with a basket, tray and bag, and features a triangular foldable frame and adjustable handle height. It has robust 8" wheels and a lightweight frame for easy transport and manoeuvrability.

TECHNICAL SPECIFICATION

- > Handle height: 82-97cm
- > Max user weight: 115kg
- > Product weight: 6.5kg

KEY FEATURES & BENEFITS

- > Robust lightweight frame
- > Lightweight and foldable for manoeuvrability and transport
- > Handle lock safety feature
- > Spacious basket and storage bag
- > Includes tray with raised edges
- > Robust 8" wheels for indoor and outdoor use

Walking Aids



ALT-R016 Satin Black



ALT-R018 Satin Red - Low Seat

The **Alerta Four-Wheel Carbon Ultra-Lite Rollator** is one of the world's lightest rollators. It is equipped with a seat, backrest and bag, and features a robust foldable frame and adjustable handle height. It has 4 robust wheels for added stability and an ultra-lightweight carbon fibre frame for very easy transport and manoeuvrability.

TECHNICAL SPECIFICATION

- > Max patient weight: 200kg
- > Max bag load: 5kg
- > Seat height:
 - > ALT-R016: 64cm
 - > ALT-R018: 56cm
- > Seat width: 46cm
- > External folded width: 22cm
- > External opened width: 62cm
- > Total height folded: 82cm
- > Handle height:
 - > ALT-R016: 78-98cm
 - > ALT-R018: 70-90cm
- > Wheel diameter: 20cm
- > Product weight: 5.3kg

KEY FEATURES & BENEFITS

- > Ergonomic adjustable height handles
- > Ultra-lightweight robust carbon frame
- > Available in two colours
- > Handle lock safety feature
- > Spacious storage bag
- > Robust wheels for indoor and outdoor use
- > Easy quick-fold design
- > Reflectors on the front & back
- > Foot tilt mechanism



Walking Aids



ALT-R006
FOUR-WHEEL ALUMINIUM DUAL-FOLDING ROLLATOR
The **Alerta Four-Wheel Aluminium Dual-Folding Rollator** is equipped with a seat, bag, and independently adjustable backrest. It boasts a unique patented robust quick-fold lightweight frame for easy transport and manoeuvrability, and also benefits from quick release adjustable height handles.

TECHNICAL SPECIFICATION

- > Handle height: 79-96cm
- > Seat height: 48cm
- > Max user weight: 136kg
- > Product weight: 7.35kg

KEY FEATURES & BENEFITS

- > Seat with independently adjustable backrest for users to rest
- > Robust lightweight aluminium frame
- > Unique patented quick-fold design for easy transport and manoeuvrability
- > Handle lock safety feature
- > Spacious storage bag
- > Robust wheels for indoor and outdoor use

PATENTED FOLD DESIGN
EASIEST TO FOLD ROLLATOR IN THE WORLD



ALT-R008
ALERTA FOUR-WHEEL ALUMINIUM 2-IN-1 WHEELCHAIR ROLLATOR
The **Alerta Four-Wheel Aluminium 2-in-1 Wheelchair Rollator** is equipped with a soft extra-comfort padded seat, sturdy comfort backrest, quick release adjustable height ergonomic shaped handles, pull up break & push down hand-brake lock, swing-away detachable footrests, fixed padded armrests for wheelchair position, and easy one-click pull rapid fold for storage and transport.

TECHNICAL SPECIFICATION

- > Seat height: 55cm
- > Handle height: 86-100cm (6 positions)
- > Max user weight: 136kg
- > Product weight: 9.9kg

KEY FEATURES & BENEFITS

- > Adjustable height handles
- > Adjustable back wheels
- > Spacious storage bag
- > Easy quick-fold design
- > Convert rollator to wheelchair
- > Walking stick holder
- > Seat with adjustable back rest
- > Detachable & adjustable footrests
- > Handle lock safety feature
- > Robust wheels for indoor and outdoor use

Powered Rollator



NEW



ALT-PR001/O Alerta Powered Rollator - Orange **ALT-PR001/N** Alerta Powered Rollator - Navy

Crafted from lightweight aluminium, the **Alerta Powered Rollator** is a versatile **4-in-1 mobility solution** designed to enhance freedom, confidence, independence, and overall wellbeing helping you rediscover your natural get up and go. Walk, sit, assist, or be assisted—the choice is always yours.

This futuristic powered rollator combines advanced **SmartAssist™** technology with everyday comfort features, including dual walking and seating controls, orthopaedically angled footrests, biometrically sensitive push handles, lux-padded ergonomic armrests, an integrated LED light, and a generous storage bag for daily essentials and shopping. All of this is housed within a streamlined, easy-fold design.

The 4-in-1 design allows the Powered Rollator to seamlessly operate as a Rollator, Powered **SmartAssist™** Rehabilitation Walker, Powered **SmartAssist™** Rehabilitation Wheelchair and Electric Wheelchair.

KEY FEATURES & BENEFITS

- > Available in 2 colours; Orange & Navy
- > Reversible backrest
- > 4-in-1 wheelchair rollator
- > 6 speed settings on front controller
- > 6 speed settings on rear controller
- > Lap belt
- > Comes with cupholder
- > Reflectors on the handles
- > Adjustable height handles
- > Handle lock safety feature
- > Spacious storage bag
- > Comfort wheels for indoor and outdoor use
- > Removeable footrests
- > Ergonomic lux-padded armrests
- > Footrest store
- > LED light - comes with USB & USB-C charging ports

TECHNICAL SPECIFICATION

- > Max user weight: 136kg
- > Product weight: 19.8kg
- > Max speed: 3.5mph
- > 36V 7.8Ah lithium battery
- > 10" front wheels
- > 8" rear wheels
- > Adjustable height handles: 86 - 106cm
- > Dimensions (unfolded): 100 x 66 x 89-110cm
- > Dimensions (folded): 71 x 34 x 89-110cm
- > Seat height: 54cm
- > Seat size: 45 x 36cm



ALT-SR-CG Alerta Strato-Cruise Mobility Scooter – Grey ALT-SR-CR Alerta Strato-Cruise Mobility Scooter – Red

The **Alerta Strato-Cruise** is the tomorrow of mobility scooters, boasting many extra safety features; providing you with 25 miles of cruising freedom with its long lasting 37V battery, giving you cruises in the park, trips to coffee with friends, and cruise all your favourite trips around town with the confidence that you'll cruise back home effortlessly and safely with its LED headlight.

Strato-Cruise incorporates an innovative 2-step quick release folding mechanism making it convenient to travel with, in the boot of your car and easy to fold for storage.

The **Strato-Cruise** effortlessly handles common obstacles like driveway dropped kerbs, door thresholds, uneven pavements, and even the grass in your local park thanks to its powerful 250W brushless motor and large wheels (9" front & 10" rear). Rediscover the joy of a stable, comfortable cruise on almost any surface.

Strato-Cruise acts as your guardian, with auto-deceleration on hills and corners and a smart seat sensor that ensures you're safely seated before cruising, plus voice alerts on steep slopes giving you extra confidence and making every journey secure and serene. Get going from the moment you sit down, the intuitive 'press-to-go' lever and large, clear display puts you in effortless command - tailor your ride with variable speed modes, utilize the reverse gear for tight spots, and enjoy the flexibility of a manual push mode.

The fully adjustable and liftable armrests provide perfect support and easy access, ensuring you start and end every cruise in complete ease.



KEY FEATURES



Built-in LED headlight



Display screen



3 speed settings



Anti-roll wheels



Adjustable armrests



Large basket



Voice prompts



Reflectors on back and sides



Bumper



Pneumatic Shock Absorbing Wheels

KEY FEATURES & BENEFITS

- > Available in two colours (grey & red)
- > Detachable and rechargeable battery
- > Drive system: "PAI" Smart Safety Riding System
- > Auto slows downhill & on turns
- > Dual brake system: Electromagnetic brake & electronic brake
- > Gyroscope
- > Basket with handlebar for storage
- > Hook under the handlebar for storage
- > Dual folding
- > Quick release folding mechanism
- > Built-in LED headlight
- > Reflectors on back and sides
- > Fold back armrests
- > Horn
- > 3 speed settings
- > Reverse function
- > Walk function (allows you to walk alongside it without being on it)

TECHNICAL SPECIFICATION

- > Max speed: 6mph (10km/h)
- > Range per charge: 25m (40km)
- > 37V 12Ah lithium battery
- > Motor spec: 250W brushless motor
- > Max climbing angle: 8°
- > Scooter weight: 28.1kg (exc battery)
- > Max user weight: 120kg
- > Max obstacle crossing height: 5cm (2")
- > Front wheels: 23cm (9")
- > Rear wheels: 25.4cm (10")
- > Ground clearance: 7cm (3")
- > Seat size: 40.6 x 35.6cm (16 x 14")
- > Seat height (from ground): 56cm (22")
- > Seat height (from base): 40.5cm (16")
- > Backrest height: 31cm (12.2")
- > Overall length: 90cm (35.4")
- > Overall width: 55cm (21.6")
- > Overall height: 86.5cm (34")
- > Overall height folded (w/o basket): 39.5cm (15.5")
- > Overall height folded (with basket): 61cm (24")
- > Basket size (LxWxH): 23 x 33 x 22cm (9 x 13 x 8.5")
- > Handlebar width: 40cm (15.7")
- > Back of seat to handlebar: 56cm (22")
- > Handlebar height: 69cm (27")
- > Armrest length: 24.5cm (9.6")



Toileting, Showering, Moving & Handling



ALERTA MOVEASSIST 200

ALT-ST200 - Alerta MoveAssist - a transfer assist unit which makes transfer functions of all types quick and easy, requiring minimal caregiver assistance. **Alerta MoveAssist** promotes user engagement, enhancing mobility.

Each unit is equipped with a crossbar where users can grasp and pull their self up into a standing position using their own strength. The padded split seats swing out allowing the user to stand up and board the unit. The caregiver then flips the split seats back into place to form a secure and comfortable seat for the user to sit on for the remainder of the transfer.

A user who qualifies to use the **Alerta MoveAssist** must have enough leg and lower body strength to stand up and remain in the standing/ sitting position. Adequate arm strength is required if the user must use the crossbar. Users who satisfy these criteria and have difficulty walking or present a potential for falling down will find the **Alerta MoveAssist** a useful and safe transfer device. For users who lack these requirements, a standaid hoist is recommended.

TECHNICAL SPECIFICATION

- > Adjustable legs for ease of manoeuvring
- > Ideal for bed-chair-wheelchair-commode transfers
- > Perfect for room to room transfers
- > MoveAssist can be wheeled directly up to a toilet, offering enhanced dignity
- > Braked rear castors
- > Max user weight 200Kgs
- > Sling hooks for extra security
- > Leg height clearance: 10cm
- > Overall Length: 90cm



ALT-PL-CHB
T-Motion Fixed Charging
Base Available

ALERTA STAND 200 POWERLIFTER

ALT-PLS200 - Alerta Stand 200 Powerlifter - a lifting hoist for assisting users with standing from a seated position. Suitable for users up to 200kg. Alerta Stand lifter is designed to be used in hospital, nursing and care home environments.

It provides security, functionality and outstanding reliability, easy to operate and easy to move. The Alerta Stand lifter also gives users a very restful and calming lifting experience.

The wide range of features make the Alerta Stand lifter a highly versatile and cost-effective solution which has been manufactured to comply with the most stringent quality and in-use guidelines.

TECHNICAL SPECIFICATION

- > TiMotion control system with emergency stop button
- > Sound/light alarm battery level
- > Operate hoist from handset or top of control box
- > Braked rear castors
- > Disassembles into two parts
- > Adjustable arm with 5 positions
- > Adjustable legs for ease of manoeuvring
- > Max user weight: 200kg



Patient Transfer Aids



* 1 year warranty on batteries



- Safe working load 135kg
- Maximum lift height 1350mm
- Minimum lift height 330mm
- Overall width 530mm
- Overall length 1130mm



ALT-PL-CHB
T-Motion Fixed Charging
Base Available

ALERTA POWERLIFTER MINI 135

ALT-PL135 - Alerta Powerlifter Mini 135 – a transfer hoist for handling and transferring users. Suitable for users up to 135 kg. **Alerta Powerlifter** hoists are designed to be used in hospital, nursing and care home environments.

They provide security, functionality and outstanding reliability, easy to operate, easy to move and incorporate anti-entrapment techniques. **Alerta Powerlifter** hoists also give users a very restful and calming lift experience with a thermoplastic rubber coated, anti-swing spreader bar.

The wide range of features make the **Alerta Powerlifter** hoists a highly versatile and cost effective solution which has been manufactured to comply with the most stringent quality and in-use guidelines.

TECHNICAL SPECIFICATION


- > TiMotion control system with emergency stop button
- > Sound/light alarm battery level
- > Operate hoist from handset or top of control box
- > Spreader bar with 360° rotation and anti-swing
- > Braked rear castors
- > Disassembles into two parts



* 1 year warranty on batteries



- Safe working load 150kg
- Maximum lift height 1470mm
- Minimum lift height 340mm
- Overall width 540mm
- Overall length 1230mm



ALT-PL-CHB
T-Motion Fixed Charging
Base Available

ALERTA POWERLIFTER MIDI 150

ALT-PL150 - Alerta Powerlifter Midi 150 – a transfer hoist for handling and transferring users. Suitable for users up to 150 kg. **Alerta Powerlifter** hoists are designed to be used in hospital, nursing and care home environments.

They provide security, functionality and outstanding reliability, easy to operate, easy to move and incorporate anti-entrapment techniques. **Alerta Powerlifter** hoists also give users a very restful and calming lift experience with a thermoplastic rubber coated, anti-swing spreader bar.

The wide range of features make the **Alerta Powerlifter** hoists a highly versatile and cost effective solution which has been manufactured to comply with the most stringent quality and in-use guidelines.

TECHNICAL SPECIFICATION


- > TiMotion control system with emergency stop button
- > Sound/light alarm battery level
- > Operate hoist from handset or top of control box
- > Spreader bar with 360° rotation and anti-swing
- > Braked rear castors
- > Disassembles into two parts



* 1 year warranty on batteries



- Safe working load 175kg
- Maximum lift height 1590mm
- Minimum lift height 450mm
- Overall width 630mm
- Overall length 1360mm



ALT-PL-CHB
T-Motion Fixed Charging
Base Available

ALERTA POWERLIFTER MAXI 175

ALT-PL175 - Alerta Powerlifter Maxi 175 – a transfer hoist for handling and transferring users. Suitable for users up to 175 kg. **Alerta Powerlifter** hoists are designed to be used in hospital, nursing and care home environments.

They provide security, functionality and outstanding reliability, easy to operate, easy to move and incorporate anti-entrapment techniques. **Alerta Powerlifter** hoists also give users a very restful and calming lift experience with a thermoplastic rubber coated, anti-swing spreader bar.

The wide range of features make the **Alerta Powerlifter** hoists a highly versatile and cost effective solution which has been manufactured to comply with the most stringent quality and in-use guidelines.

TECHNICAL SPECIFICATION

- > TiMotion control system with emergency stop button
- > Sound/light alarm battery level
- > Operate hoist from handset or top of control box
- > Spreader bar with 360° rotation and anti-swing
- > Braked rear castors
- > Disassembles into two parts



* 1 year warranty on batteries



- Safe working load 175kg
- Maximum lift height 1590mm
- Minimum lift height 450mm
- Overall width 630mm
- Overall length 1360mm



ALT-PL-CHB
T-Motion Fixed Charging
Base Available

ALERTA POWERLIFTER MAXI 175-E

ALT-PL175-E - Alerta Powerlifter Maxi 175-E is a transfer hoist with electric legspread, used for handling and transferring users. Suitable for users up to 175kg. **Alerta Powerlifter** hoists are designed to be used in hospital, nursing and care home environments.

They provide security, functionality and outstanding reliability, easy to operate, easy to move and incorporate anti-entrapment techniques. **Alerta Powerlifter** hoists also give users a very restful and calming lift experience with a thermoplastic rubber coated, anti-swing spreader bar.

The wide range of features make the **Alerta Powerlifter** hoists a highly versatile and cost effective solution which has been manufactured to comply with the most stringent quality and in-use guidelines.

TECHNICAL SPECIFICATION

- > TiMotion control system with emergency stop button
- > Sound/light alarm battery level
- > Operate hoist from handset or top of control box
- > Spreader bar with 360° rotation and anti-swing
- > Braked rear castors
- > Disassembles into two parts





ALT-ST002 – Alerta Standing Turner - a transfer device to assist carer/attendant with transfer of the user between seat, bed, toilet, commode, wheelchair by standing and turning. Alerta Standing Turner promotes user engagement and enhances mobility.

It benefits from Alerta's GlideTurn easy swivel base, height adjustable handle, height adjustable padded knee pads, sturdy steel frame and tool free assembly.

To use this device, the user requires enough arm, leg and body strength to stand up and remain in the standing position. For users who lack these attributes, an Alerta Standaaid hoist or MoveAssist is recommended.

Do not use this device to transport a user. When patient is on board DO NOT tilt or lever the Standing Turner, the whole footplate should remain in contact with the floor at all times.

TECHNICAL SPECIFICATION

- > Base width: 41cm
- > Handle width: 47cm
- > Handle Height Adjust: 89cm to 126cm
- > Product weight: 17.5kg
- > 2 x 7cm rear castors for transporting between users
- > Safe Working Load: 160kg



The **Alerta Deluxe Support Belt** with leg straps is designed to assist with the safe transfer of individuals from one position to another - such as bed, wheelchair, toilet, dining transfers, or walking with the user - without the need to hold the individual's clothing or body, enabling freedom of movement and a greater sense of independence.

Alerta Deluxe Support Belt is NOT for use as a device for patient lifting.

ALT-216 ALERTA DELUXE SUPPORT BELT, MEDIUM
ALT-217 ALERTA DELUXE SUPPORT BELT, LARGE

KEY FEATURES & BENEFITS

- > Multiple transfer type uses
- > Gait training
- > Promotes user independence - no physical touching
- > Non-slip inside surface
- > Detachable leg straps included
- > Adjustable Velcro & buckle fastening
- > 10 firm handhold positions

WASHING INSTRUCTIONS

- > Material: 100% Polyester
- > Do not dry clean
- > Machine washable at up to 30°C (velcro must be closed)

SIZES

ALT-216 Medium 90x12cm
 (to suit waist sizes: 62cm (24") to 88cm (34"))
 ALT-217 Large 115x12cm
 (to suit waist sizes: 82cm (32") to 110cm (43"))

Wheelchairs



ALT-1100
ALERTA CAR TRANSIT WHEELCHAIR, CRASH TESTED

The **Alerta Car Transit Wheelchair** is crash tested and comes with drop down armrests, swing away detachable footrests, arm pads, lap belt and rear brakes, with 30cm rear wheels and 20cm front wheels, all with puncture proof tyres. Seat is 40cm deep x 43cm wide.

TECHNICAL SPECIFICATION

- > 30cm rear wheels
- > 20cm front wheels
- > Seat size: 40cm deep x 43cm wide
- > Max user weight: 115kg
- > Product weight: 15.5kgs

KEY FEATURES & BENEFITS

- > Crash tested
- > Flip up table-entry arms
- > Padded armrests
- > Lap belt
- > Swing away detachable footrests
- > Puncture proof tyres
- > Braked rear wheels
- > Heel loops



ALT-1300
ALERTA SELF-PROPELLED WHEELCHAIR, CRASH TESTED

The **Alerta Self-Propelled Wheelchair** is crash tested and comes with self-propelling rear wheels, detachable arms, padded armrests, lap belt, swing away and detachable footrests, heel loops and rear brakes, with 60cm rear wheels and 20cm front wheels, all with puncture proof tyres. Seat is 40cm deep x 45cm wide.

TECHNICAL SPECIFICATION

- > 60cm rear self-propelled wheels
- > 20cm front wheels
- > Seat size: 40cm deep x 45cm wide
- > Max user weight: 120kg
- > Product weight: 17kg

KEY FEATURES & BENEFITS

- > Self-propelled rear wheels
- > Wave profile self-propel rim
- > Flip up table-entry arms
- > Padded armrests
- > Lap belt
- > Swing away detachable footrests
- > Puncture proof tyres
- > Rear wheel brakes
- > Heel loops



ALT-1100/WHD
ALERTA CAR TRANSIT WIDE HEAVY-DUTY ALUMINIUM WHEELCHAIR

The **Alerta Car Transit Wide Heavy-Duty Aluminium Wheelchair** comes with folding back, lift up / swing away armrests, table-entry armrests, swing away detachable footrests, 30cm braked rear wheels and 20cm front wheels, all with puncture proof tyres.

The wide heavy-duty wheelchair has anti-tip bars at the back beside the rear wheels to help prevent tipping backwards when crossing an obstacle.

TECHNICAL SPECIFICATION

- > 30cm braked rear wheels
- > 20cm front wheels
- > Seat size: 46cm deep x 60cm wide
- > Max user weight: 182kg
- > Product weight: 14.8kg

KEY FEATURES & BENEFITS

- > Swing away / Lift up armrests
- > Table entry padded arms
- > Handle lock safety feature
- > Folding backrest
- > Hand brakes
- > Rear anti-tip bars
- > Lap belt
- > Swing away detachable footrests
- > Puncture proof tyres
- > Heel loops
- > Carry handles once folded
- > Double crossbar for extra strength
- > Reinforced extra thick upholstery
- > Rear seat pocket





SHOWER CHAIR | COMMODE CHAIR | TRANSFER CHAIR | TOILETING CHAIR

ALT-SC150	ALERTA AQUA SHOWER COMMODE CHAIR
ALT-SC150/SP	ALERTA AQUA SHOWER COMMODE CHAIR, SELF-PROPELLED
ALT-SC250	ALERTA AQUA SHOWER COMMODE CHAIR, BARIATRIC



The **Alerta Aqua Chair** combines 4 chairs in 1, performing seamlessly as a shower chair, a commode chair, a toileting chair and a transfer chair.

While it can be used for showering, transferring and as a mobile commode, the pot can be removed and the chair can be wheeled to the toilet, making this a very easy to use toileting chair.

The Alerta Aqua is stylish, effortlessly manoeuvrable and manufactured from easy to clean plastic coated steel.

A selection of soft padded seat sections are also available as accessories if desired.

KEY FEATURES & BENEFITS

- > Available with and without self-propelled wheels
- > Five position footrest
- > 4 individually braked wheels
- > Weight capacity:
 - > ALT-SC150: 150kg
 - > ALT-SC150/SP: 150kg
 - > ALT-SC250: 240kg
- > Removable arms
- > 2 year warranty
- > Seat Size:
 - > ALT-SC150: 45 x 43cm
 - > ALT-SC150/SP: 45 x 43cm
 - > ALT-SC250: 45 x 65.7cm



ALT-SC300	ALERTA AQUA COMMUNITY, TILT-IN-SPACE SHOWER COMMODE CHAIR
ALT-SC350	ALERTA AQUA TILT-IN-SPACE HI-LO SHOWER COMMODE CHAIR

The **Alerta Aqua Tilt-in-Space Shower Commode Chairs** are for use in Care Homes, Hospitals and homecare environments. They are designed specifically for assisted hygiene routines, showering and toileting.

The transfer friendly design offers safe solutions for residents with differing mobility levels, covering needs ranging from a bedside commode to a mobile, multifunction shower and commode chair. When used as a toilet chair, it can be placed over a conventional toilet or used in a freestanding position. The Aqua Chair Tilt-In-Space has an adjustment controlled by gas spring for the seat angle for active and passive seating and is designed for repeated use.

KEY FEATURES & BENEFITS

- > Easy, simple, safe to operate Tilt-in-Space
- > Removable swing-away footrests with angle-adjustable footplate
- > Tool-less seat height adjustment
- > Adjustable and detachable footrests
- > Multi-angle directional and height adjustable head support
- > 5" casters with wheel & swivel locking mechanism
- > Commode pan with lid included
- > Moulded seat and backrest for high comfort
- > All upholstery is waterproof, fire-proof and non-toxic

ALT-SC300

- > Adjustable height footrests
- > 1 Year warranty

ALT-SC350

- > Rear anti-tip bars
- > Width & angle adjustable pivoting upper body side supports with quick release

ALT-SC300 TECHNICAL SPEC

- > Overall height: 102cm
- > Seat size: 40 x 46cm
- > Seat height: 59.5 - 64.5cm
- > Backrest height: 49cm
- > Max user weight: 175kg

ALT-SC350 TECHNICAL SPEC

- > Adjustable height: 133-159cm
- > Seat size: 46 x 42.5cm
- > Seat height: 52.5 - 62.5cm
- > Max seat angle forwards: 5°
- > Max seat angle backwards: 36.5°
- > Max user weight: 160kg



Showering & Toileting

ALT-BE002
ALERTA MOBILE
SHOWER CHAIR



This mobile shower chair has 2 rear braked castors. 136kg weight capacity.
Boxed in 2's

ALT-BE004
ALERTA MOBILE SHOWER
CHAIR, ADJUSTABLE HEIGHT



This mobile shower chair has adjustable height and 2 rear braked castors. 136kg weight capacity.
Seat Height: 44.5-54.5cm
Boxed individually

ALT-BE005
ALERTA STATIONARY SHOWER
CHAIR, ADJUSTABLE HEIGHT



This stationary shower chair has adjustable height. 136kg weight capacity.
Seat Height: 41.5-53.3cm
Boxed in 4's

ALT-BE009
ALERTA STACKING COMMODE,
ADJUSTABLE HEIGHT



The **Alerta Stacking Commode** is manufactured from powder coated tubular steel and comes with a comfortable padded upholstery on the seat and back, which is heat sealed allowing it to be cleaned without the risk of water ingress. The toilet seat is oval shaped with a clip on/clip off design. A rubber buffer sits in the seat to avoid seat abrasion against the frame. The commode holds a 5 litre round potty.
Max user weight: 180kg
Seat Height: 45-60cm
Boxed in 3's

ALT-BE001
ALERTA TOILET SEAT AID,
ADJUSTABLE HEIGHT



The **Alerta Toilet Seat Aid** is plastic coated and has a large seating area. It features cut-outs at the front and rear for easy cleaning access. The toileting seat simply clicks into position on the frame and rotates when required.
Max user weight: 165kg
Seat Height: 48-62cm.
Boxed in 2's

ALT-BE003
ALERTA PORTABLE TOILET
SURROUND, ADJUSTABLE
HEIGHT & WIDTH



The **Alerta Portable Toilet Seat Surround** with height extension legs is designed to make using the toilet easier for users in nursing homes and home care.
Height Range: 68-80.7cm
Outer Product Width: 55-60cm
Boxed individually



The **Alerta Aluminium Shower Stool & Aluminium Shower Stool with Back** enjoys a simple but cosmetically attractive design, with a lightweight aluminium frame. It is the perfect companion to aid support and transfer whilst showering, benefitting from adjustable height for ease of use, integral handles, and the added safety features of moulded drainage holes and nonslip rubber feet.

Constructed from corrosion proof materials, extra stability is afforded with angled leg design and suction style foot tips. It also benefits from a left and right-hand side built in shower head holder.

Max user weight: 130kg
Boxed individually



ALT-BE010 ALERTA ALUMINIUM SHOWER STOOL
ALT-BE011 ALERTA ALUMINIUM SHOWER STOOL WITH BACK



The **Alerta Raised Toilet Seats** increase the toilet seat height for easier toilet access in nursing homes and home care.
Max user weight: 200kg
Boxed in 12's

ALT-BE006 ALERTA RAISED TOILET SEAT, 2 INCHES
ALT-BE007 ALERTA RAISED TOILET SEAT, 4 INCHES
ALT-BE008 ALERTA RAISED TOILET SEAT, 6 INCHES

ALT-1200
ALERTA COMMODE
& TRANSFER CHAIR

The **Alerta Commode & Transfer Chair** comes with drop down armrests, swing away detachable footrests, arm pads, four braked castors and wipeable PVC seat and back. Seat is 53cm deep x 46cm wide.

- > Stable, robust powder coated steel frame
- > Drop down padded armrests
- > Swing away detachable footrests
- > Full length arm pads
- > Push handle for optimal positioning
- > 4 solid steel 5" swivel braked castors
- > Fold-up footrests
- > Wipeable PVC seat and back
- > Max user weight: 125kg



ALT-1400
ALERTA ADJUSTABLE HEIGHT
COMMODE & TRANSFER CHAIR


The **Alerta Adjustable Height Commode & Transfer Chair** comes with drop down armrests, swing away detachable footrests, arm pads, four braked castors and wipeable PVC seat and back. Seat is 53cm deep x 46cm wide.

- > Stable, robust powder coated steel frame
- > Drop down padded armrests
- > Swing away detachable footrests
- > Full length arm pads
- > Push handle for optimal positioning
- > 4 solid steel 5" swivel braked castors
- > Fold-up footrests
- > Wipeable PVC seat and back
- > Height ratio: 52.5 - 65cm
- > Max user weight: 125kg





Evacuation



ALT-E001 EVACUATION SHEET

The **Alerta Evacuation Sheet** fixes permanently to the underside of a flexible foam mattress by means of strong elastics. It has safety belts to hold the user on the mattress and pulling straps at each end.

The combination of slippery sheet and flexible mattress will allow controlled and easy access through doorways and downstairs.

Max user weight: 350kg

Body strap length: 160cm

Head/Foot evac total strap length: 150cm



Wall mounted zip storage bag

ALT-E002 EVACUATION SLEDGE

The **Alerta Evacuation Sledge** is used for transporting a user to safety during an evacuation. The user is placed on the sledge, secured with the chest and leg straps and pulled to safety using the straps at each end.

The flexible sledge and slippery underneath will allow controlled and easy access through doorways and downstairs.

Max user weight: 350kg

Body strap length: 106cm



ALT-E004 BARIATRIC EVACUATION SLEDGE

The **Alerta Bariatric Evacuation Sledge** is used for transporting a user to safety during an evacuation. The user is placed on the sledge, secured with the chest and leg straps and pulled to safety using the straps at each end.

The flexible sledge and slippery underneath will allow controlled and easy access through doorways and downstairs.

Max user weight: 350kg

Width: 100cm

Body strap length: 160cm

Head/Foot evac total strap length: 212cm



ALT-E003 AIR MATTRESS EVACUATION SHEET

The **Alerta Air Mattress Evacuation Sheet** is intended to be placed permanently underneath an alternating air mattress ready to be used for transporting a user to safety during an evacuation. Alerta's Air Mattress Evacuation Sheet is suitable for both Overlay and Replacement air mattress systems.

The Air Mattress Evacuation Sheet enables the whole mattress to be turned into an evacuation sledge in the event of an evacuation. The flexible and slippery underneath will allow controlled and easy access through doorways and downstairs.

Fits Overlay's and Deep cell Replacement air mattresses.

200cm long x 90cm wide





Foam, Gel & Static Systems

Product Overview

All foam products are supplied vacuum roll packed

	alerta sensaflex underlay	Foam Mattress Underlay	
	alerta sensaflex500	Foam Mattress	
	alerta sensaflex1000	Foam Mattress	
	alerta sensaflex3000	Memory Foam Mattress	
	alerta sensaflex4000	Gel-Topped Memory Foam Mattress	
	alerta sensaflex4500	Heel Slope Mattress Memory & Gel Foam	
	alerta sensaflex200	Foam Cushion	
	alerta sensaflex250	Memory Foam Cushion	
	alerta sensaflex300	Memory Foam Cushion	
	alerta sensaflex350	Memory Foam Bariatric Cushion	





ALT-UND – Alerta 2 inch Foam Mattress Underlay
– a foam mattress underlay for use underneath an air mattress system in the event of power failure or during the use of CPR. The underlay provides effective comfort and care for users in hospital, nursing and care home environments.

To launder the cover in a washing machine, set the main wash to 65°C for no less than 10 minutes or 95°C for no less than 3 minutes. The cover can be tumble dried on low heat and the temperature must not exceed 60°C. The foam can be autoclaved at 134°C.

TECHNICAL SPECIFICATION

- Mattress Specification**
- > Mattress dimensions: 198 x 90 x 5 cm (78 x 35.5 x 2")
 - > Multi-stretch and vapour permeable PU cover
 - > Waterproof and machine washable cover
 - > Antimicrobial cover with white underside
 - > BS7177: Crib 5



ALT-500 – Alerta Sensaflex 500 – a medium risk profiling foam mattress built with castellated foam. The sophisticated mattress design provides effective comfort, care and pressure redistribution for users in hospital, nursing and care home environments.

To launder the cover in a washing machine, set the main wash to 65°C for no less than 10 minutes or 95°C for no less than 3 minutes. The cover can be tumble dried on low heat and the temperature must not exceed 60°C. The foam can be autoclaved at 134°C.

TECHNICAL SPECIFICATION

- Mattress Specification**
- > Mattress dimensions: 198 x 90 x 12 cm (78 x 35.5 x 4.8")
 - > Max load capacity: 120kg (265lb)
 - > Min load capacity: 50kg (110lb)
 - > Multi-stretch and vapour permeable PU cover
 - > Waterproof and machine washable cover
 - > Antimicrobial cover with white underside
 - > BS7177: Crib 5



ALT-1000 – Alerta Sensaflex 1000 – a high risk profiling foam mattress built with castellated foam. The sophisticated mattress design provides effective comfort, care and pressure redistribution for users in hospital, nursing and care home environments.

TECHNICAL SPECIFICATION

- Mattress Specification**
- > Mattress dimensions: 198 x 90 x 14 cm (78 x 35.5 x 5.5")
 - > Max load capacity: 180kg (397lb)
 - > Min load capacity: 40kg (88lb)



ALT-3000 – Alerta Sensaflex 3000 – a high risk profiling memory foam mattress. The sophisticated mattress design provides effective comfort, care and pressure redistribution for users in hospital, nursing and care home environments.


TECHNICAL SPECIFICATION

- ALT-3000 Mattress Specification**
- > Mattress dimensions: 198 x 90 x 14 cm (78 x 35.5 x 5.5")
 - > Max load capacity: 180kg (397lb)
 - > Min load capacity: 40kg (88lb)

ALT-3000/4 Mattress Specification

- > Mattress dimensions: 198 x 120 x 16 cm (78 x 47 x 6.3")
- > Max load capacity: 200kg (441lb)
- > Min load capacity: 40kg (88lb)





ALT-4000 – Alerta Sensaflex 4000 – a very high risk profiling memory foam mattress built with a high density base, foam centre and a castellated gel memory foam top. The mattress is designed with a section of v-cut memory foam which creates additional air movement for enhanced pressure relieving properties, providing effective comfort, care and pressure redistribution for users in hospital, nursing and care home environments.

To launder the cover in a washing machine, set the main wash to 65°C for no less than 10 minutes or 95°C for no less than 3 minutes. The cover can be tumble dried on low heat and the temperature must not exceed 60°C. The foam can be autoclaved at 134°C.

TECHNICAL SPECIFICATION


Mattress Specification

- > Mattress dimensions: 198 x 90 x 16 cm (78 x 35.5 x 6.3")
- > Max load capacity: 200kg (441lb)
- > Min load capacity: 30kg (66lb)
- > Multi-stretch and vapour permeable PU cover
- > Waterproof and machine washable cover
- > Antimicrobial cover with white underside
- > BS7177: Crib 5



All foam mattresses (except 2" underlay) and cushions are shipped vacuum rolled for ease of transport and minimising storage

Heel Slope Mattress



ALT-4500 – Alerta Sensaflex 4500 – is a very high risk profiling memory foam mattress built with a high density base, memory foam top, and gel-infused memory foam sloping heel section. It is designed with a section of v-cut base foam which creates additional air movement for enhanced pressure relieving properties, providing effective comfort, care and pressure redistribution for users in hospital, nursing and care home environments.

- > Heel slope: assists pressure redistribution by alleviating pressure from the high risk heel area.
- > SensaGel® heel zone: gel-infused memory foam to prevent pressure sores on the heel.

To launder the cover in a washing machine, set the main wash to 65°C for no less than 10 minutes or 95°C for no less than 3 minutes. The cover can be tumble dried on low heat and the temperature must not exceed 60°C. The foam can be autoclaved at 134°C.

- > Multi-stretch and vapour permeable PU cover
- > Antimicrobial cover with white underside
- > Waterproof and machine washable cover
- > BS7177: Crib 5



TECHNICAL SPECIFICATION

Mattress Specification

- > Mattress Dimensions: 198 x 90 x 8-14cm (78 x 35.5 x 3.1-5.5")
- > Max Load: 180kg (397lb)
- > Min Load: 40kg (88lb)



To launder the cover in a washing machine set the main wash to 65°C for no less than 10 minutes or 95°C for no less than 3 minutes. The cover can be tumble dried on low heat and the temperature must not exceed 60°C. The foam can be autoclaved at 134°C.



ALT-200 – Alerta Sensaflex 200 – a medium risk foam cushion built with castellated foam. The foam cushion provides effective comfort, care and pressure redistribution for users in hospital, nursing and care home environments.

TECHNICAL SPECIFICATION

- > Cushion dimensions: 43 x 43 x 10 cm (17 x 17 x 4")
- > Max Load: 150kg (331lb)
- > Min Load: 40kg (88lb)



ALT-300 – Alerta Sensaflex 300 – a very high risk memory foam cushion built with a high density base, foam centre and a castellated gel memory foam top. The cushion provides effective comfort, care and pressure redistribution for users in hospital, nursing and care home environments.

TECHNICAL SPECIFICATION

- > Cushion dimensions: 43 x 43 x 10 cm (17 x 17 x 4")
- > Max Load: 150kg (331lb)
- > Min Load: 40kg (88lb)



- > Multi-stretch and vapour permeable PU cover
- > Waterproof and machine washable cover
- > Antimicrobial cover with white underside
- > BS7177: Crib 5



ALT-250 – Alerta Sensaflex 250 – a high risk memory foam cushion which provides effective comfort, care and pressure redistribution for users in hospital, nursing and care home environments.

TECHNICAL SPECIFICATION

- > Cushion dimensions: 43 x 43 x 10 cm (17 x 17 x 4")
- > Max Load: 150kg (331lb)
- > Min Load: 40kg (88lb)



ALT-350 – Alerta Sensaflex 350 – a high risk bariatric memory foam cushion which provides effective comfort, care and pressure redistribution for bariatric users in hospital, nursing and care home environments.

TECHNICAL SPECIFICATION

- > Cushion Dimensions: 45 x 56 x 12 cm (17.7 x 22 x 5")
- > Max Load: 280kg (617lb)
- > Min Load: 50kg (110lb)




Gel Cushions



ALT-204 – Alerta GelCube Cushion – a patented dual honeycomb air-gel cushion to provide advanced comfort, care and pressure redistribution for users in hospital, nursing and care home environments. It is built with an intelligent dual honeycomb structure to provide optimal blood circulation and skin health, and balanced pressure distribution. The combination of flexible air-gel cells provides a non-slip surface for superior comfort over an extended period of use.

The bottom of the cover is coated with silicon for non-slip and the top of the cover is made with polyester fabric.


- > Max Load: 200kg
- > Cushion Dimensions: 46 x 42 x 5 cm (18 x 16.5 x 2")



Patented dual honeycomb structure



Intelligent design for balanced pressure distribution



Provides enhanced blood circulation and skin health



Very easy to clean



Packaged for retail



Cover provided





Packaged for retail



ALT-201 – Alerta Gel Cushion – a gel cushion containing polyurethane SensaGel which acts as a layer of artificial fat, to provide effective comfort, care and pressure redistribution for users in hospital, nursing and care home environments. It can slide and move laterally to effectively reduce shear forces and is guaranteed not to harden over time, neither leak nor dry if accidentally punctured.

- > PU and fire resistant classified M1 cover
- > Waterproof and vapour permeable cover
- > Max Load: 100kg
- > Cushion Dimensions: 43 x 43 x 2.5 cm (17 x 17 x 1")



Cover provided



Packaged for retail



ALT-202 – Alerta Gel-Visco Cushion – a gel-visco cushion built with a contoured moulded viscoelastic foam base, connected to a polyurethane SensaGel insert with two densities, to provide effective comfort, care and pressure redistribution for users in hospital, nursing and care home environments. The viscoelastic SensaGel provides maximum relief to bony areas and the shape ensures a good posture while seated and prevents users from sliding forward.

- > PU and fire resistant classified M1 cover
- > Waterproof and vapour permeable cover
- > Max Load: 155kg
- > Cushion Dimensions: 43 x 43 x 8cm (17 x 17 x 3")





SUPPLIED
IN PAIRS



ALT-203 - Alerta Air Cushion with Pump

– an aid in the prevention of pressure ulceration for all users including those assessed as high risk, and for the treatment of existing stage 1 and 2 pressure ulcers. Clinical supervision is advised if skin damage is severe. Once cleaned this product can be reused by another user.

Cushion Dimensions: 46 x 46 x 3 cm (18 x 18 x 1.2")

ALT-210 - Alerta Air Heel Bootees with Strap – provides effective protection for users by offloading pressure from the heel to minimise the risk of pressure ulceration and injury to the foot, including those assessed as very high risk. If existing pressure related tissue injury is severe then clinical supervision is recommended.



ALT-211 Alerta Deluxe Heel Bootee - is designed to support and elevate the heel, providing relief to individuals who experience pain, discomfort or pressure on the heels and can be worn by the user in many positions.

The heel can be a very difficult area to protect against pressure ulcers. Alerta's Deluxe Heel Bootee provides superior deluxe comfort and pressure relief, through genuine heel offloading, reducing the possibility of a pressure ulcer developing and helping existing pressure ulcers to heal.

The cool brushed nylon fabric limits perspiration, providing a comfortable surface and eliminates friction while the superior deluxe memory foam internal padding reduces pressure risk.

Retail Packaged.



PHTHALATE
FREE

ALT-212 Soft Heel Protectors - will help reduce the risk of heel pressure ulcers by eliminating friction and reducing pressure. The cool natural cotton limits perspiration while the padding provides a comfortable surface and raises the foot slightly to reduce contact.

Alerta Heel Protector fits most sizes; simply fasten the straps to provide a comfortable fit.

Fabric Content: Cotton surface.

Siliconised polyester hollow fibre fill.

Retail Packaged.



Fall Prevention



Product Overview

		Premium floor mat, Wired and Wireless	
		Premium floor mat, Wired	
		Crash Mat, Wireless	
		Floor mat, Wired and Wireless	
		Bed mat system, Wired and Wireless	
		Chair mat system, Wired and Wireless	
		PIR motion sensor, Wired and Wireless	
		Wireless Window and Door Sensor	
		Nurse call button, Wired and Wireless	
		WetSense Chair Mat	
		WetSense Bed Mat	



AVAILABLE IN 5 COLOURS




The **Deluxe Alertamat** is a robust long-life luxury carpet Alertamat; the world's first and only genuine carpeted Alertamat. Available in 5 colours to suit an existing colour scheme, the **Deluxe Alertamat** provides a more refined touch for the care environment.

The **Deluxe Alertamat** is most effective when placed at the bedside or doorway; activating the alarm when a user leaves their safe zone by stepping on the mat. This alerts the caregiver to ascertain the user's safety. Selecting a colour that blends with the existing flooring makes it an ideal solution for situations where a dementia user may otherwise try to avoid the mat.

Both **Wired** and **Wireless** systems can be connected to a nurse call system for centralised activation, or used on their own, independent of a nurse call system to give localised alerts.

- > Genuine non-slip base
 - > Luxury carpet finish
 - > Choice of 5 colours
 - > Long lasting welded seals and strong wiring
- > Large size avoids chance of overstepping
 - > Dementia friendly
 - > Dimensions: 60 x 90 cm (23.5 x 35.5")



WIRED DELUXE ALERTAMAT

DAM - Wired Deluxe Alertamat - can be connected to a nurse call system with a 3 metre cable provided for centralised activation, or used on its own, independent of a nurse call system to give localised alerts through the Alerta Alarm Monitor (sold separately).

- > Plug-and-play system
- > 0, 2 or 4 second delay to reduce false alarms
- > System includes:
1x Deluxe Alertamat and 1x 3 metre cable

The Deluxe Alertamat comes with a unique built-in "Y" cable, providing a spare socket for other Alerta devices to be connected - using only one nurse call point.



Connect to nurse call system or stand-alone alarm monitor

Breakaway cable to reduce trip hazard and prevent damage



WIRELESS DELUXE ALERTAMAT

W-DAM-T - Wireless Deluxe Alertamat - comes with an Alerta Wireless Transmitter which connects to the Alerta Wall Point Receiver.

- > Wireless connect-and-play system
- > No cables, extra safe and versatile
- > 95m wireless range from transmitter to receiver
- > 0, 2 or 4 second delay to reduce false alarms
- > System includes: 1x Deluxe Alertamat and 1x Wireless Transmitter (must be used with Alerta Wall Point Receiver - sold separately)

Alerta Wireless Transmitter

- > Battery powered
- > Includes 2x 1.5v AAA batteries



Alerta Wall Point Receiver

- > High, low and silent volume control
- > Low battery alert
- > Mains or battery powered
- > Takes 2x 1.5v AA batteries





WAM-FHOAK - Wood Alertamat - a robust long-life luxury Alertamat with a wood safety floor finish; the world's first and only genuine wood finish Alertamat. The Wood Alertamat provides a more refined touch for the care environment.

The **Wood Alertamat** is most effective when placed at the bedside or doorway; activating the alarm when a user leaves their safe zone by stepping on the mat. This alerts the caregiver to ascertain the user's safety. The light colour makes it an ideal solution for situations where a dementia user may try to avoid that mat.

It can be connected to a nurse call system with a 3 metre cable provided for centralised activation, or used on its own, independent of a nurse call system to give localised alerts through the Alerta Alarm Monitor (sold separately).

The **Wood Alertamat** comes with a unique built-in "Y" cable, providing a spare socket for other Alerta devices to be connected - using only one nurse call point.

KEY FEATURES AND BENEFITS

- > Plug-and-play system
- > Genuine non-slip base
- > Luxury wood finish
- > Long lasting welded seals and strong wiring
- > Hygienic, antibacterial easy-clean material
- > Large size avoids chance of overstepping
- > Dementia friendly
- > Dimensions: 55 x 80 cm (21.5 x 31.5")
- > System includes: 1x Wood Alertamat and 1x 3 metre cable



Connect to nurse call system or stand-alone alarm monitor

Breakaway cable to reduce trip hazard and prevent damage



W-ACM-T - Alertamat Crash Mat with Wireless Nurse Call Alert - is designed to be placed next to the bed to minimise injury if the user should fall from bed and activates the nurse call system when a fall occurs.

The mat incorporates sensor pads and a Wireless Transmitter within the foam which connects to the Alerta Wall Point Receiver. It can be connected to a nurse call system for centralised activation, or used on its own, independent of a nurse call system to give localised alerts through the Alerta Wall Point Receiver only. The volume can be deactivated for silent in-room operation when connected to a nurse call system.

This helps prevent a user remaining on the mat undetected for an unknown length of time after falling, by alerting the caregiver to provide timely assistance.

The Alertamat Crash Mat is quick and easy to position and benefits from a PU wipe clean surface. When unfolded the mat is 180cm long x 60cm wide x 6cm high. The mat folds in half for easy storage and transportation.

Patent Number: 2203815.2

KEY FEATURES AND BENEFITS

- > Get alerted when a user falls from bed
- > Wireless connect-and-play system
- > No cables, extra safe and versatile
- > 95m wireless range from transmitter to receiver
- > Genuine non-slip base
- > Dimensions: 180 x 60cm (71 x 23.5")
- > Thickness: 6cm (2.5")
- > System includes: 1x Alertamat Crash Mat and 1x Wireless Transmitter (must be used with Alerta Wall Point Receiver - sold separately)

Alerta Wireless Transmitter

- > Battery powered
- > Includes 2x 1.5v AAA batteries

Alerta Wall Point Receiver

- > High, low and silent volume control
- > Low battery alert
- > Mains or battery powered
- > Takes 2x 1.5v AA batteries



WATCH WIRELESS PRODUCT VIDEO

The **Floor+ Alertamat** is a robust long-life Alertamat and is most effective when placed at the bedside or doorway; activating the alarm when a user leaves their safe zone by stepping on the mat. This alerts the caregiver to ascertain the user's safety. The light colour makes it an ideal solution for situations where a dementia user may try to avoid the mat.

Both **Wired** and **Wireless** systems can be connected to a nurse call system for centralised activation, or used on their own, independent of a nurse call system to give localised alerts.

- > Genuine non-slip base
- > Long lasting welded seals and strong wiring
- > Hygienic, antibacterial easy-clean material
- > Large size avoids chance of overstepping
- > Dementia friendly
- > Dimensions: 60 x 90 cm (23.5 x 35.5")



WIRED FLOOR+ ALERTAMAT

PAM - Wired Floor+ Alertamat - can be connected to a nurse call system with a 3 metre cable provided for centralised activation, or used on its own, independent of a nurse call system to give localised alerts through the Alerta Alarm Monitor (sold separately).

- > Plug-and-play system
- > 0, 2 or 4 second delay to reduce false alarms
- > System includes: 1x Floor+ Alertamat and 1x 3 metre cable

The Floor+ Alertamat comes with a unique built-in "Y" cable, providing a spare socket for other Alerta devices to be connected - using only one nurse call point.



Connect to nurse call system or stand-alone alarm monitor

Breakaway cable to reduce trip hazard and prevent damage



WIRELESS FLOOR+ ALERTAMAT

W-PAM-T - Wireless Floor+ Alertamat - comes with an Alerta Wireless Transmitter which connects to the Alerta Wall Point Receiver.

- > Wireless connect-and-play system
- > No cables, extra safe and versatile
- > 95m wireless range from transmitter to receiver
- > 0, 2 or 4 second delay to reduce false alarms
- > System includes: 1x Floor+ Alertamat and 1x Alerta Wireless Transmitter (must be used with Alerta Wall Point Receiver - sold separately)

Alerta Wireless Transmitter

- > Battery powered
- > Includes 2x 1.5v AAA batteries

Alerta Wall Point Receiver

- > High, low and silent volume control
- > Low battery alert
- > Mains or battery powered
- > Takes 2x 1.5v AA batteries





The **Bed Alertamat** is most effective when concealed under the bed sheet on top of the mattress; activating the alarm when a user leaves their bed. This alerts the caregiver to ascertain the user's safety. The alarm is reset automatically when the user returns to the bed.

Both **Wired** and **Wireless** systems can be connected to a nurse call system for centralised activation, or used on their own, independent of a nurse call system to give localised alerts.

- > Hygienic, antibacterial easy-clean material
- > Dimensions: 25 x 76 cm (10 x 30")



WATCH WIRELESS
PRODUCT VIDEO



WIRED BED ALERTAMAT

BAM - Wired Bed Alertamat - can be connected to a nurse call system with a 2 metre cable provided for centralised activation, or used on its own, independent of a nurse call system to give localised alerts through the Alerta Alarm Monitor (supplied as part of the system).


- > Plug-and-play system
- > System includes: 1x Bed Alertamat, 1x Alerta Alarm Monitor and 1x 2 metre cable

Alerta Alarm Monitor

- > High, low and silent volume control
- > Multiple choice alarm tone
- > 0, 2 or 4 second delay to reduce false alarms
- > Low battery alert
- > Mains or battery powered
- > Takes 1x 9v battery



Battery operated Mains operated Alerta Alarm Monitor



WIRELESS BED ALERTAMAT

W-BAM-T - Wireless Bed Alertamat - comes with an Alerta Wireless Transmitter which connects to the Alerta Wall Point Receiver.

- > Wireless connect-and-play system
- > No cables, extra safe and versatile
- > 95m wireless range from transmitter to receiver
- > System includes: 1x Bed Alertamat and 1x Alerta Wireless Transmitter (must be used with Alerta Wall Point Receiver - sold separately)

Alerta Wireless Transmitter

- > Battery powered
- > Includes 2x 1.5v AAA batteries
- > 0, 2 or 4 second delay to reduce false alarms



Alerta Wall Point Receiver

- > High, low and silent volume control
- > Low battery alert
- > Mains or battery powered
- > Takes 2x 1.5v AA batteries



The **Chair Alertamat** is most effective when concealed under the chair cushion; activating the alarm when a user leaves their chair. This alerts the caregiver to ascertain the user's safety. The alarm is reset automatically when the user returns to the chair.

Both **Wired** and **Wireless** systems can be connected to a nurse call system for centralised activation, or used on their own, independent of a nurse call system to give localised alerts.

- > Hygienic, antibacterial easy-clean material
- > Dimensions: 25 x 38 cm (10 x 15")



WATCH WIRELESS
PRODUCT VIDEO



WIRED CHAIR ALERTAMAT

CAM - Wired Chair Alertamat - can be connected to a nurse call system with a 2 metre cable provided for centralised activation, or used on its own, independent of a nurse call system to give localised alerts through the Alerta Alarm Monitor (supplied as part of the system).

- > Plug-and-play system
- > System includes: 1x Chair Alertamat, 1x Alerta Alarm Monitor and 1x 2 metre cable

Alerta Alarm Monitor

- > High, low and silent volume control
- > Multiple choice alarm tone
- > 0, 2 or 4 second delay to reduce false alarms
- > Low battery alert
- > Mains or battery powered
- > Takes 1x 9v battery



Battery operated Mains operated Alerta Alarm Monitor



WIRELESS CHAIR ALERTAMAT

W-CAM-T - Wireless Chair Alertamat - comes with an Alerta Wireless Transmitter which connects to the Alerta Wall Point Receiver.

- > Wireless connect-and-play system
- > 95m wireless range from transmitter to receiver
- > No cables, extra safe and versatile
- > System includes: 1x Chair Alertamat and 1x Alerta Wireless Transmitter (must be used with Alerta Wall Point Receiver - sold separately)

Alerta Wireless Transmitter

- > Battery powered
- > Includes 2x 1.5v AAA batteries
- > 0, 2 or 4 second delay to reduce false alarms



Alerta Wall Point Receiver

- > High, low and silent volume control
- > Low battery alert
- > Mains or battery powered
- > Takes 2x 1.5v AA batteries



The **Alerta Detect** uses infrared technology to activate the alarm when body movement is detected within the range of the infrared beam.

The **Alerta Detect** is most effective when mounted at the door or bedside; activating the alarm when a user leaves their safe zone and breaks the infrared beam. This alerts the caregiver to ascertain the user's safety. It is ideal for providing users with the freedom and safety of their own space while still proactively giving the caregiver advanced warning when a user leaves their safe zone.



WIRED ALERTA DETECT

ALT-DET - Wired Alerta Detect - connects to a nurse call system with a 2 metre cable provided for centralised activation.

Alerta Detect Motion Sensor

- > Plug-and-play system
- > Mains or battery powered
- > Low battery alert
- > In-built alarm
- > Adjustable alarm volume (silent, low, high)
- > Hold/snooze button
- > System includes: 1x Alerta Detect motion sensor and 1x 2 metre cable
- > Takes 3x 1.5v AA batteries



WATCH WIRELESS PRODUCT VIDEO

WIRELESS ALERTA DETECT

ALT-DET - Wireless Alerta Detect - can be connected to a nurse call system through the Alerta Wall Point Receiver for centralised activation, or used on its own, independent of a nurse call system to give localised alerts through the Alerta Wall Point Receiver only.

- > Wireless connect-and-play system
- > 95m wireless range from transmitter to receiver
- > No cables, extra versatile
- > System includes: 1x Alerta Detect motion sensor (can be used with Alerta Wall Point Receiver - sold separately)

Alerta Detect Motion Sensor

- > Mains or battery powered
- > Low battery alert
- > In-built alarm
- > Adjustable alarm volume (silent, low, high)
- > Hold/snooze button
- > Wireless signal indicator
- > Takes 3x 1.5v AA batteries



Alerta Wall Point Receiver

- > High, low and silent volume control
- > Low battery alert
- > Mains or battery powered
- > Takes 2x 1.5v AA batteries



WIRELESS WINDOW AND DOOR SENSOR



W-WDS - Wireless Alerta Window and Door Sensor - can be mounted on a door & door frame, or window & window frame and then connected to a nurse call system through the Alerta Wall Point Receiver for centralised activation, or used on its own, independent of a nurse call system to give localised alerts through the Alerta Wall Point Receiver only.

- > Wireless connect-and-play system
- > 95m wireless range from transmitter to receiver
- > No cables, extra versatile
- > System includes: 1x Alerta Window and Door Sensor (must be used with Alerta Wall Point Receiver - sold separately) and takes 2x 1.5 AAA batteries

WIRED ALERTA NURSE CALL BUTTON

PCL - Wired Alerta Nurse Call Button - provides the user with reassurance that help is at hand. With a large easy to press button it activates the alarm when a user presses the button. This alerts the caregiver to ascertain the user's need.

It can be plugged directly into the nurse call system or via the spare 'Y' cable that is provided with the wired Deluxe Alertamat, Wood Alertamat and Floor+ Alertamat.

- > 2 metre cable



ALERTA WALL POINT RECEIVER

W-WPR - Alerta Wall Point Receiver - can be connected to a nurse call system for centralised activation, or used on its own, independent of a nurse call system to give localised alerts through this device only. The volume can be deactivated for silent in-room operation when connected to a nurse call system.

The **Alerta Wall Point Receiver** can be wirelessly paired with up to 5 Alerta wireless products and is compatible with the Deluxe Alertamat, Floor+ Alertamat, Bed Alertamat, Chair Alertamat, Alerta Detect and the Alerta Button, Alertmat Crash mat, WetSense Chair Alertamat, and WetSense Bed Alertamat.

It uses radio frequency technology to connect, with a wireless range of up to 95 metres. Once paired with Alerta wireless devices it only transmits to those devices and will not interfere with other Alerta Wall Point Receivers or devices in use nearby.

- > Wireless connect-and-play system
- > No cables, extra versatile
- > High, low and silent volume control
- > Low battery alert
- > Mains or battery powered
- > Takes 2x 1.5v AA batteries



WIRELESS ALERTA NURSE CALL BUTTON

W-NCB - Alerta Wireless Nurse Call Button is supplied with a wall mountable holder that can be mounted to a wall or bedside unit for holding the Wireless Nurse Call Button meaning it is always in one place if the user is bed bound, also making it easy for those affected by dementia to remember its location.

The **Alerta Wireless Nurse Call Button** is also supplied with a safety lanyard for use over the neck, and a wrist strap enabling it to be wrist worn. The button can be mounted in the wall holder with the wrist strap still attached.

- > Can be strapped round the wrist
- > Provided with a lanyard to put over the patients neck
- > Wall mountable
- > Can be worn when showering
- > Wristband material: Silicon
- > Wireless connect-and-play system
- > No cables, extra versatile
- > 95m wireless range from transmitter to receiver
- > Includes 1x CR2450 battery
- > System includes: 1x Alerta Button (must be used with Alerta Wall Point Receiver - sold separately)



The **Alerta Wireless WetSense Bed** and **Chair Alertamats** are designed to inform caregivers when enuresis needs to be addressed. **Alerta WetSense** mats can be used under a sheet on a bed, or on a chair to wirelessly activate the alarm/nursecall system when wetness is detected. This alerts the caregiver to take appropriate action and ensure a comfortable resolution to the individual's needs.

The **Wireless WetSense Alertamats** can be connected to a nursecall system for centralised activation, or used on their own, independent of a nursecall system to give localised alerts.



WIRELESS WETSENSE CHAIR ALERTAMAT

- W-CAM-WET-T - Wireless WetSense Chair Alertamat**
 - comes with an Alerta Wireless Transmitter which connects to the Alerta Wall Point Receiver.
- > Wireless connect-and-play system
 - > No cables, extra safe and versatile
 - > Dimensions: 25 x 38 cm (10 x 15")
 - > 95m wireless range from transmitter to receiver
 - > System includes: 1x WetSense Chair Alertamat and 1x Alerta Wireless Transmitter (must be used with Alerta Wall Point Receiver - sold separately)

Alerta Wireless Transmitter

- > Battery powered
- > Includes 2x 1.5v AAA batteries
- > 0, 2 or 4 second delay to reduce false alarms



Alerta Wall Point Receiver

- > High, low and silent volume control
- > Low battery alert
- > Mains or battery powered
- > Takes 2x 1.5v AA batteries



These products are designed as a monitor alerting the staff to user enuresis. They do not monitor a user leaving the bed or chair.

These mats have a 3 month warranty due to the nature of the substance they are expected to be in regular contact with. The WetSense Alertamats can be replaced on their own and the Alerta Wireless Transmitter and Alerta Wall Point Receiver be reused with a replacement mat.



WIRELESS WETSENSE BED ALERTAMAT

- W-BAM-WET-T - Wireless WetSense Bed Alertamat**
 - comes with an Alerta Wireless Transmitter which connects to the Alerta Wall Point Receiver.
- > Wireless connect-and-play system
 - > No cables, extra safe and versatile
 - > Dimensions: 25 x 76 cm (10 x 30")
 - > 95m wireless range from transmitter to receiver
 - > System includes: 1x WetSense Bed Alertamat and 1x Alerta Wireless Transmitter (must be used with Alerta Wall Point Receiver - sold separately)

Alerta Wireless Transmitter

- > Battery powered
- > Includes 2x 1.5v AAA batteries
- > 0, 2 or 4 second delay to reduce false alarms



Alerta Wall Point Receiver

- > High, low and silent volume control
- > Low battery alert
- > Mains or battery powered
- > Takes 2x 1.5v AA batteries



Accessories & Plug Identification

W-FBCT

ALERTA WIRELESS TRANSMITTER

The Alerta Wireless Transmitter is supplied with the following wireless systems: Deluxe Alertamat, Floor+ Alertamat, Bed Alertamat, Chair Alertamat, Alertmat Crash mat, WetSense Chair Alertamat, and WetSense Bed Alertamat.

It uses radio frequency technology to connect, with a wireless range of up to 95 metres. Once paired with the Alerta Wall Point Receiver it will only transmit to that Wall Point Receiver and will not interfere with other Alerta Wall Point Receivers or devices in use nearby. Includes 2x 1.5v AAA batteries.

It incorporates an adjustable timer setting for alarm delay if required.

Low battery light and beep every 3 seconds.



AUAM

ALERTA ALARM MONITOR

The Alerta Alarm Monitor can be used with all wired Alertamats. It includes 1x 9v battery or can be mains operated.



MA

MAINS ADAPTOR

Works with the Alerta Alarm Monitor.



EXT

EXTENSION LEAD

Please specify the required length at point of order.



DPA

DOUBLE PLUG ADAPTOR

Allows two devices to be connected to one nurse call point.



Identify your plug type

Most nurse call systems take one of the following plug types:

SINGLE RING PLUG	DOUBLE RING PLUG	WHITE PLUG, 6 GROOVE	CLEAR PLUG, 6 GROOVE	CLEAR PLUG, 4 GROOVE

Please ensure that your clients know the plug type they require at point of order to ensure that their Alertamats will function correctly when they receive them.

Plug types can sometimes be difficult to identify. If your client is unsure or if you need assistance, please contact Caretua experts on **+353 (1) 443 3390** or **info@caretua.com**



HIP PROTECTION | **CLINICALLY PROVEN** | **SEAMLESS** | **WASHABLE**

Hip protection helps prevent hip fractures

People who have suffered a fall – or who are at risk of falling – can benefit from effective hip protection. What starts out as an innocent fall may lead to an operation, a long stay in hospital and an increased demand for professional care. In addition, 30% of all people who suffer a hip fracture die within 2 years (1).

A growing number of elderly people indicates a future rise in the occurrence of hip fractures. Worldwide, it is estimated that the number of hip fractures will increase from 1.66 million into 2.6 million in 2025 and 6.26 million in 2050 (2).

Hip protection should be seen as an extra security that contributes to the user's own safety on the same level as seatbelt, lifejacket, or motorcycle helmet. Hip protection reduces the risk of serious injury, saves money and can also improve quality of life by promoting a sense of security, thus allowing the user to remain active, social and reduce the fear of falling.

SAFEHIP[®] AirX[®] is a 100% textile hip protector with the protector shield based on **AirX[®]** spacer fabric technology, which is a breathable, skin friendly and soft textile material. The **AirX[®]** technology is your guarantee for optimal compliance.

SAFEHIP[®] AirX[®] hip protectors come in three models – a female, male and unisex model in white. The pants are flexible and comfortable to wear, not too warm, and may be used with incontinence pads as a fixation pant. They have been designed to perform like regular underwear, with a fly opening on the male model and lace-look detail on the female. When the gender of the patient is not known in advance, the Unisex brief is suitable for both.

All SAFEHIP[®] AirX[®] pants are very durable and can be washed in industrial washing machines at up to 95°C/200°F and tumble dried at highest temperatures.

Unique features:

- > Patented horse-shoe shaped shield designed to disperse energy from a fall away from the hip joint
- > The shields adapt to the body perfectly, so the hip protector is not noticeable under clothes
- > Excellent breathability (test winner in EMPA test no. 448819)
- > Prevents moisture build-up and feels comfortable against skin
- > Minimises skin irritation such as reddening and itching
- > Pants are very comfortable to wear - no irritating seams
- > High percentage of elastane ensures a perfect fit, which also makes the pants suitable for incontinent users



SAFEHIP [®]	Cm	Inch	Find your size
S	75-95	30-38	
M	90-110	36-44	
L	100-120	40-48	
XL	110-140	44-56	

Sizes overlap. To find the user's correct size, measure the hips at the widest point. If the hip measurement lies between two sizes, choose the smaller size if the patient has slim thighs, and the larger size if thighs are wide or an incontinence pad will be worn.

Protector
100% AirX[®] soft textile

Seamless Briefs
58% Cotton
36% Polyamide
6% Elastane

100% BREATHABLE
100% TEXTILE

CLINICALLY PROVEN
CLINICALLY TESTED ON MORE THAN 7000 INDIVIDUALS

95°C 200°F

SAFEHIP AIR-X MALE

Male version with fly

ALT-SAM-S	Air-X Male - S
ALT-SAM-M	Air-X Male - M
ALT-SAM-L	Air-X Male - L
ALT-SAM-XL	Air-X Male - XL

SAFEHIP AIR-X FEMALE

Female version with flower detail at front

ALT-SAF-S	Air-X Female - S
ALT-SAF-M	Air-X Female - M
ALT-SAF-L	Air-X Female - L
ALT-SAF-XL	Air-X Female - XL

SAFEHIP AIR-X UNISEX

Neutral design for both sexes

ALT-SAU-S	Air-X Unisex - S
ALT-SAU-M	Air-X Unisex - M
ALT-SAU-L	Air-X Unisex - L
ALT-SAU-XL	Air-X Unisex - XL

SAFEHIP AIR-X OPEN

Open version

ALT-SAO-S	Air-X Open - S
ALT-SAO-M	Air-X Open - M
ALT-SAO-L	Air-X Open - L
ALT-SAO-XL	Air-X Open - XL

1) IOF - EFFE Jay magazin, PhD, MSHyg, Eleanor M. Simonsick, PhD, T. Michael Kashner, PhD, J Richard Hebel, PhD, and John E. Konzona, MD Hvidovre Symposium Open Bridge 08/2000
2) Cooper et al. Osteoporosis Int. 1992; 2:285-9 & Melton LJ. Bone 1996; 18:121S-5S
3) Hindsø K, Lauritzen JB. Intervention study with hip protectors [abstract]. Osteoporosis International, 1998; 8:119.



Alternating Air Systems


Product Overview

	alerta[®] bubble 2	Overlay pad	
	alerta[®] pearl	Overlay system	
	alerta[®] emerald 2	Overlay system	
	alerta[®] emerald-auto	Overlay system	
	alerta[®] sapphire 2	Replacement system	
	alerta[®] ruby 2	Full Replacement system	
	alerta[®] ruby-auto	Full Replacement system	
	alerta[®] ruby turn	Full Replacement system	
	alerta[®] bariatric 2	Full Replacement system	
	alerta[®] sensaflo-hybrid	Full Replacement system	
	alerta[®] partner	Cushion system	
	alerta[®] partner plus	Bariatric Cushion System	
	alerta[®] mobile	Battery cushion system	





Extension flaps



ALT-9001
ALERTA BUBBLE 2



Alerta Bubble 2 – a light weight and compact overlay alternating pressure relieving mattress system for effective prevention and treatment of users at low risk of developing a pressure ulcer in hospital, nursing and care home environments. **Alerta Bubble 2** has been designed to give care providers the basic essentials for pressure care and the pump is a basic entry level pump.

With simple to use settings and functionality, the **Alerta Bubble 2** enables the care provider to quickly set up the mattress system and have it operating at optimal pressure for a specific user with ease.

The **Alerta Bubble 2** has been manufactured to comply with the most stringent quality and in-use guidelines.

*If putting in washing machine, ensure the air inlet tubes are watertight sealed.

Mattress Specification


- > Mattress Dimensions: 200 x 90 x 7 cm (78.5 x 35.5 x 3")
- > Mattress Weight: 2.5kg (5.5lb)
- > Cell Structure: 130 Bubble cells
- > Material: Medical grade PVC
- > Max Load: 135kg (297.5lb)
- > Machine washable*

Pump Specification

- > Pump Dimensions: 24 x 11 x 8 cm (9.4 x 4.3 x 3.1")
- > Pump Weight: 0.9kg (1.7lb)
- > Cycle Time: 12 minutes
- > Power Input: AC220-240V, 50-60Hz
- > Power Consumption: 7W
- > Fitted with hanging brackets



with tuck-in extension flaps



ALT-9004
ALERTA PEARL
OVERLAY SYSTEM



ALT-9004 – Alerta Pearl – an overlay alternating pressure relieving mattress system with 5" air cells for effective prevention and treatment of users at medium to high risk of developing a pressure ulcer in hospital, nursing and care home environments. **Alerta Pearl** has been designed to give care providers the essentials for pressure care and the pump is an entry level pump.

With simple to use settings and functionality, the **Alerta Pearl** enables the care provider to quickly set up the mattress system and have it operating at optimal pressure for a specific user with ease.

The **Alerta Pearl** has been manufactured to comply with the most stringent quality and in-use guidelines.

Key Features

- > Pillow function
- > CPR release
- > Anchoring straps for securing to bed
- > Micro-perforated cells for air circulation
- > Robust pump connection
- > Transport mode

Mattress Specification



- > Mattress Dimensions: 200 x 90 x 12.7 cm (78.5 x 35.5 x 5")
- > Mattress Weight: 5.5kg (12.1lb)
- > CPR: Quick release toggle
- > Max Load: 160kg (353lb)

Cover Specification

- > Multi-stretch PU
- > Vapour permeable
- > Waterproof
- > Machine washable
- > Antimicrobial
- > 360 degree zipper
- > White underside of cover
- > BS7177: Crib 5
- > Mains cable management system


Pump Specification

- > Pump Dimensions: 28 x 14 x 9 cm (11 x 5.5 x 3.5")
- > Pump Weight: 1.4kg (3lb)
- > Cycle Time: 12 minutes
- > Power Input: AC220-240V, 50-60Hz
- > Power Consumption: 7W
- > Fitted with hanging brackets
- > Alternating and static modes
- > Visual and audible alarm for low pressure and power failure



Clinical pressure mapping evaluation





ALT-9005
ALERTA EMERALD 2
OVERLAY SYSTEM



ALT-9005 – Alerta Emerald 2 – an overlay alternating pressure relieving mattress system with 5" air cells for effective prevention and treatment of users at high risk of developing a pressure ulcer in hospital, nursing and care home environments.

With simple to use settings and functionality, the **Alerta Emerald 2** enables the care provider to quickly set up the mattress system and have it operating at optimal pressure for a specific user with ease.

The wide range of features make the **Alerta Emerald 2** a highly versatile and cost effective solution which has been manufactured to comply with the most stringent quality and in-use guidelines.

Alerta Emerald 2 incorporates cutting-edge **SensaCare TruFlo Technology®** - constant auto pressure sensing through an air sensor and microcomputer regulator to provide ultra-low interface pressure and promote an even ambience for natural sleep patterns and stable blood circulation with Ultra-Silent™ pump operation.

Key Features

- > Pillow function
- > CPR release
- > Anchoring straps
- > Micro-perforated cells for air circulation
- > Robust pump connection
- > Transport mode

Mattress Specification

- > Mattress Dimensions: 200 x 90 x 12.7 cm (78.5 x 35.5 x 5")
- > Mattress Weight: 5.5kg (12.1lb)
- > CPR: Quick release toggle
- > Max Load: 160kg (353lb)


Cover Specification

- > Multi-stretch PU
- > Vapour permeable
- > Waterproof
- > Machine washable
- > Antimicrobial
- > 360 degree zipper
- > White underside of cover
- > BS7177: Crib 5
- > Mains cable management system

Pump Specification

- > Operating System: SensaCare TruFlo Technology®
- > Pump Dimensions: 34.5 x 24 x 12.5 cm (13.5 x 9.4 x 4.9")
- > Pump Weight: 2.8kg (6.1lb)
- > Cycle Time: 10, 15, 20, 25 minutes
- > Memory function
- > Air Output: 8 litres/minute
- > Power Input: AC220-240V, 50-60Hz
- > Power Consumption: 7W
- > Fitted with hanging brackets
- > Alternating and static modes
- > Visual and audible alarm for low pressure, power failure and alternate failure
- > Control panel lock feature to avoid accidental change of settings
- > Max firm mode

KEY FEATURES AND BENEFITS



Nylon TPU coated cells



Independently removable cells



Covert sealed air cells



Branded cells



Pillow function



CPR release




Anchoring straps



Zipped storage bag



Multi-stretch, waterproof & vapour permeable PU cover



Micro-perforated cells



Antimicrobial, machine washable



360 Degree zipper



Robust pump connection



Transport mode



CONTROL PANEL

Auto pressure sensing for consistent distribution of air




Ultra-Silent™ pump operation to avoid disturbance

Multiple cycle time control for efficiency



Clinical pressure mapping evaluation



ALT-9006
ALERTA EMERALD AUTO
OVERLAY SYSTEM



ALT-9006 - Alerta Emerald Auto – a fully **Auto Weight Sensing** overlay alternating pressure relieving mattress system with 5" air cells for effective prevention and treatment of users at high risk of developing a pressure ulcer in hospital, nursing and care home environments.

With simple to use settings and functionality, the **Alerta Emerald Auto** enables the care provider to quickly set up the mattress system and have it operating at optimal pressure for a specific user with ease. The pump has the latest cutting-edge **Auto Weight Sensing** technology, continuously adjusting interface pressures according to the user's weight.

The wide range of features make the **Alerta Emerald Auto** a highly versatile and cost effective solution which has been manufactured to comply with the most stringent quality and in-use guidelines.

Alerta Emerald Auto incorporates cutting-edge **SensaCare Truflo Technology®** – constant auto pressure sensing through an air sensor and microcomputer regulator to provide ultra-low interface pressure and promote an even ambience for natural sleep patterns and stable blood circulation with Ultra-Silent™ pump operation.

Key Features

- > Auto weight sensing
- > Pillow function
- > CPR release
- > Anchoring straps
- > Robust pump connection
- > Transport mode

Mattress Specification

- > Mattress Dimensions: 200 x 90 x 12.7 cm (78.5 x 35.5 x 5")
- > Mattress Weight: 5.5kg (12.1lb)
- > CPR: Quick release toggle
- > Max Load: 160kg (353lb)


Cover Specification

- > Multi-stretch PU
- > Vapour permeable
- > Waterproof
- > Machine washable
- > Antimicrobial
- > 360 degree zipper
- > White underside of cover
- > BS7177: Crib 5
- > Mains cable management system

Pump Specification

- > Operating System: SensaCare Truflo Technology®
- > Pump Dimensions: 34.5 x 24 x 12.5 cm (13.5 x 9.4 x 4.9")
- > Pump Weight: 2.8kg (6.1lb)
- > Cycle Time: 10, 15, 20, 25 minutes
- > Memory function
- > Air Output: 8 litres/minute
- > Power Input: AC220-240V, 50-60Hz
- > Power Consumption: 7W
- > Fitted with hanging brackets
- > Alternating and static modes
- > Visual and audible alarm for low pressure, power failure and alternate failure
- > Control panel lock feature to avoid accidental change of settings
- > Max firm mode

KEY FEATURES AND BENEFITS



Nylon TPU coated cells



Independently removable cells



Covert sealed air cells



Branded cells



Pillow function



CPR release



Anchoring straps



Zipped storage bag



Multi-stretch, waterproof & vapour permeable PU cover



Antimicrobial, machine washable



360 Degree zipper



Robust pump connection



Transport mode



Auto weight



Remote control

CONTROL PANEL


Auto pressure sensing for consistent distribution of air



Ultra-Silent™ pump operation to avoid disturbance


Multiple cycle time control for efficiency

Auto weight control




Static/alternating modes

Control panel lock to prevent unauthorised or accidental tampering (hold for 2 sec)



Clinical pressure mapping evaluation





ALT-9007
ALERTA SAPPHIRE 2
REPLACEMENT SYSTEM



ALT-9007 – Alerta Sapphire 2 – a replacement alternating pressure relieving mattress system with 5” air cells and a self-inflating 2” sealed foam base forming an in-use height of 7” for effective prevention and treatment of users at high risk of developing a pressure ulcer in hospital, nursing and care home environments.

With simple to use settings and functionality, the **Alerta Sapphire 2** enables the care provider to quickly set up the mattress system and have it operating at optimal pressure for a specific user with ease.

The wide range of features make the **Alerta Sapphire 2** a highly versatile and cost effective solution which has been manufactured to comply with the most stringent quality and in-use guidelines.

Alerta Sapphire 2 incorporates cutting-edge **SensaCare Truflo Technology®** - constant auto pressure sensing through an air sensor and microcomputer regulator to provide ultra-low interface pressure and promote an even ambience for natural sleep patterns and stable blood circulation with Ultra-Silent™ pump operation.

Key Features

- > Pillow function
- > CPR release
- > Anchoring straps
- > Micro-perforated cells for air circulation
- > Robust pump connection
- > Transport mode
- > Individually removable heel cells to create zero pressure under the heel

Mattress Specification

- > Mattress Dimensions: 200 x 90 x 12.7 cm + 5cm foam base (78.5 x 35.5 x 5” + 2” foam base)
- > Mattress Weight: 5.5kg (12.1lb)
- > Cell Structure: Cell-on-foam
- > CPR: Quick release toggle
- > Max Load: 200kg (441lb)
- > Heel function (3 x heel cells with one way valves)


Cover Specification

- > Multi-stretch PU
- > Vapour permeable
- > Waterproof
- > Machine washable
- > Antimicrobial
- > 360 degree zipper
- > White underside of cover
- > BS7177: Crib 5
- > Mains cable management system

Pump Specification

- > Operating System: SensaCare Truflo Technology®
- > Pump Dimensions: 34.5 x 24 x 12.5 cm (13.5 x 9.4 x 4.9”)
- > Pump Weight: 2.8kg (6.1lb)
- > Cycle Time: 10, 15, 20, 25 minutes
- > Memory function
- > Air Output: 8 litres/minute
- > Power Input: AC220-240V, 50-60Hz
- > Power Consumption: 7W
- > Fitted with hanging brackets
- > Alternating and static modes
- > Visual and audible alarm for low pressure, power failure and alternate failure
- > Control panel lock feature to avoid accidental change of settings
- > Max firm mode

KEY FEATURES AND BENEFITS



Nylon TPU coated cells



Independently removable cells



Covert sealed air cells



Branded cells



Pillow function



CPR release




Anchoring straps



Zipped storage bag



Multi-stretch, waterproof & vapour permeable PU cover



Micro-perforated cells



Antimicrobial, machine washable



360 Degree zipper



Robust pump connection



Transport mode



Removable heel cells


CONTROL PANEL

Auto pressure sensing for consistent distribution of air



Ultra-Silent™ pump operation to avoid disturbance

Multiple cycle time control for efficiency




Visual and audible warning of air loss, power failure and alternate failure


Control panel lock to prevent unauthorised Or accidental tampering (hold for 2 sec)

Weight setting control knob

Static/alternating modes



Clinical pressure mapping evaluation



ALT-9008
ALERTA RUBY 2
REPLACEMENT SYSTEM



ALT-9008 – Alerta Ruby 2 – a replacement alternating pressure relieving mattress system with cell-on-cell air cells, a static base section and an in-use height of 8” for effective prevention and treatment of users at very high risk of developing a pressure ulcer in hospital, nursing and care home environments.

With simple to use settings and functionality, the **Alerta Ruby 2** enables the care provider to quickly set up the mattress system and have it operating at optimal pressure for a specific user with ease.

The wide range of features make the **Alerta Ruby 2** a highly versatile and cost effective solution which has been manufactured to comply with the most stringent quality and in-use guidelines.

Alerta Ruby 2 incorporates cutting-edge **SensaCare TruFlo Technology®** - constant auto pressure sensing through an air sensor and microcomputer regulator to provide ultra-low interface pressure and promote an even ambience for natural sleep patterns and stable blood circulation with Ultra-Silent™ pump operation.

Key Features

- > Pillow function
- > CPR release
- > Anchoring straps
- > Micro-perforated cells for air circulation
- > Robust pump connection
- > Transport mode
- > Individually removable heel cells to create zero pressure under the heel
- > Seat inflation feature for additional support when sitting upright
- > Digital user weight input

Mattress Specification

- > Mattress Dimensions: 200 x 90 x 20 cm (78.5 x 35.5 x 8")
- > Mattress Weight: 10kg (22lb)
- > Cell Structure: Cell-on-cell
- > CPR: Quick release toggle
- > Max Load: 200kg (441lb)
- > Heel function (3 x heel cells with one way valves)


Cover Specification

- > Multi-stretch PU
- > Vapour permeable
- > Waterproof
- > Machine washable
- > Antimicrobial
- > 360 degree zipper
- > White underside of cover
- > BS7177: Crib 5
- > Mains cable management system

Pump Specification

- > Operating System: SensaCare TruFlo Technology®
- > Pump Dimensions: 34.5 x 24 x 12.5 cm (13.5 x 9.4 x 4.9")
- > Pump Weight: 2.8kg (6.1lb)
- > Cycle Time: 10, 15, 20, 25 minutes
- > Memory function
- > Air Output: 8 litres/minute
- > Power Input: AC220-240V, 50-60Hz
- > Power Consumption: 7W
- > Fitted with hanging brackets
- > Alternating and static modes
- > Visual and audible alarm for low pressure, power failure and alternate failure
- > Control panel lock feature to avoid accidental change of settings
- > Max firm mode

KEY FEATURES AND BENEFITS



Nylon TPU coated cells



Independently removable cells



Removable heel cells



Branded cells



Pillow function



CPR release




Anchoring straps



Zipped storage bag



Multi-stretch, waterproof & vapour permeable PU cover



Micro-perforated cells



Antimicrobial, machine washable



360 Degree zipper



Robust pump connection




Transport mode



Remote control

CONTROL PANEL

Digital LED display for easy use



Visual and audible warning of air loss, power failure and alternate failure

Digital user weight input

Multiple cycle time control for efficiency




Ultra-Silent™ pump operation to avoid disturbance

Static/alternating modes

Seat inflation for additional surface support to facilitate the sitting position


Control panel lock to prevent unauthorised or accidental tampering (hold for 2 sec)

Power on



Clinical pressure mapping evaluation





ALT-9009
ALERTA RUBY AUTO
REPLACEMENT SYSTEM



Key Features

- > Auto weight sensing
- > Pillow function
- > CPR release
- > Anchoring straps
- > Robust pump connection
- > Transport mode
- > Individually removable heel cells to create zero pressure under the heel
- > Seat inflation feature for additional support when sitting upright

Mattress Specification

- > Mattress Dimensions: 200 x 90 x 20 cm (78.5 x 35.5 x 8")
- > Mattress Weight: 10kg (22lb)
- > Cell Structure: Cell-on-cell
- > CPR: Quick release toggle
- > Max Load: 200kg (441lb)
- > Heel function (3 x heel cells with one way valves)

Cover Specification

- > Multi-stretch PU
- > Vapour permeable
- > Waterproof
- > Machine washable
- > Antimicrobial
- > 360 degree zipper
- > White underside of cover
- > BS7177: Crib 5
- > Mains cable management system

Pump Specification

- > Operating System: SensaCare Truflo Technology®
- > Pump Dimensions: 34.5 x 24 x 12.5 cm (13.5 x 9.4 x 4.9")
- > Pump Weight: 2.8kg (6.1lb)
- > Cycle Time: 10, 15, 20, 25 minutes
- > Memory function
- > Air Output: 8 litres/minute
- > Power Input: AC220-240V, 50-60Hz
- > Power Consumption: 7W
- > Fitted with hanging brackets
- > Alternating and static modes
- > Visual and audible alarm for low pressure, power failure and alternate failure
- > Control panel lock feature to avoid accidental change of settings
- > Max firm mode


ALT-9009 - Alerta Ruby Auto – a fully **Auto Weight Sensing** replacement alternating pressure relieving mattress system with cell-on-cell air cells, a static base section and an in-use height of 8" for effective prevention and treatment of users at very high risk of developing a pressure ulcer in hospital, nursing and care home environments.

With simple to use settings and functionality, the **Alerta Ruby Auto** enables the care provider to quickly set up the mattress system and have it operating at optimal pressure for a specific user with ease. The pump has the latest cutting-edge **Auto Weight Sensing** technology, continuously adjusting interface pressures according to the user's weight.

The wide range of features make the **Alerta Ruby Auto** a highly versatile and cost effective solution which has been manufactured to comply with the most stringent quality and in-use guidelines.

Alerta Ruby Auto incorporates cutting-edge **SensaCare Truflo Technology®** – constant auto pressure sensing through an air sensor and microcomputer regulator to provide ultra-low interface pressure and promote an even ambience for natural sleep patterns and stable blood circulation with Ultra-Silent™ pump operation.

KEY FEATURES AND BENEFITS



Nylon TPU coated cells



Independently removable cells



Removable heel cells



Branded cells



Pillow function



CPR release



Anchoring straps



Zipped storage bag



Multi-stretch, waterproof & vapour permeable PU cover



Antimicrobial, machine washable



360 Degree zipper



Robust pump connection



Transport mode



Auto weight



Remote control

CONTROL PANEL



Digital LED display for easy use



Ultra-Silent™ pump operation to avoid disturbance


Multiple cycle time control for efficiency

Auto weight control



Clinical pressure mapping evaluation





SCAN TO WATCH
PRODUCT VIDEO

ALT-9450 ALERTA RUBY TURN LATERAL TURNING REPLACEMENT ALTERNATING MATTRESS SYSTEM



Key Features

- > Pillow function
- > CPR release
- > Anchoring straps for securing to bed
- > Robust pump connection
- > Transport mode
- > Individually removable heel cells to create zero pressure under the heel
- > Seat inflation feature for additional support when sitting upright

Mattress Specification

- > Mattress Dimensions: 200 x 90 x 20cm (78.5 x 35.5 x 8")
- > Mattress Weight: 8.3kg (18.3lb)
- > Cell Structure: Cell-on-cell
- > CPR: Quick release toggle
- > Max Load: 230kg (500lb)
- > Heel function (3 x heel cells with one-way valves)


Cover Specification

- > Multi-stretch PU
- > Vapour permeable
- > Waterproof
- > Machine washable
- > Antimicrobial
- > 360 degree zipper
- > White underside of cover
- > BS7177: Crib 5
- > Mains cable management system

Pump Specification

- > Operating System: SensaCare Truflo Technology®
- > Pump Dimensions: 37.8 x 17 x 26.6cm (14.8 x 6.7 x 10.5")
- > Pump Weight: 6.4kg (14lb)
- > Alternating cycle time: 10, 15, 20, 25mins
- > Lateral turning cycle time: 10, 20, 30, 60mins
- > Adjustable turning angles
- > Memory function
- > Air Output: 42-50 litres/minute
- > Power Input: AC220-240V, 50-60Hz 2A
- > Power Consumption (when turning): 18W
- > Power Consumption (daily usage): 10W
- > Alternating and static modes
- > Seat inflate
- > Ultra-Silent™ pump operation
- > Visual and audible alarm for low pressure, power and alternate failure
- > Control panel lock feature to avoid accidental change of settings
- > Max firm mode

KEY FEATURES AND BENEFITS



Nylon TPU coated cells



Independently removable cells



Removable heel cells



Branded cells



Pillow function



CPR release



Anchoring straps



Zipped storage bag



Multi-stretch, waterproof & vapour permeable PU cover



Antimicrobial, machine washable




360 Degree zipper




Robust pump connection



Transport mode



Lateral turning



Adjustable turn angles

CONTROL PANEL

Digital LED display for easy use




Ultra-Silent™ pump operation to avoid disturbance

Visual and audible warning of air loss, power failure and alternate failure

Adjustable cycle time control for efficiency

Adjustable rotation mode

Adjustable angle control



Auto weight control


Power on/off

Static/alternating modes

Press to set the system to static therapy mode at minimum pressure value


Seat inflation for additional surface support to facilitate the sitting position

Control panel lock to prevent unauthorised or accidental tampering (hold for 2 sec)



Clinical pressure mapping evaluation





ALT-9300
ALERTA BARIATRIC 2
REPLACEMENT SYSTEM



Key Features

- > 350kg weight capacity
- > Pillow function
- > CPR release
- > Anchoring straps
- > Robust pump connection
- > Transport mode
- > Individually removable heel cells to create zero pressure under the heel
- > Seat inflation feature for additional support when sitting upright
- > Digital user weight input

Mattress Specification

- > Mattress Dimensions: 200 x 120 x 25 cm (78.5 x 47 x 10")
- > Mattress Weight: 12.5kg (27.6lb)
- > Cell Structure: Cell-on-cell
- > CPR: Quick release toggle
- > Max Load: 350kg (772lb)
- > Heel function (3 x heel cells with one way valves)

Cover Specification

- > Multi-stretch PU
- > Vapour permeable
- > Waterproof
- > Machine washable
- > Antimicrobial
- > 360 degree zipper
- > White underside of cover
- > BS7177: Crib 5
- > Mains cable management system

Pump Specification

- > Operating System: SensaCare Truflo Technology®
- > Pump Dimensions: 34.5 x 24 x 12.5 cm (13.5 x 9.4 x 4.9")
- > Pump Weight: 2.8kg (6.1lb)
- > Cycle Time: 10, 15, 20, 25 minutes
- > Memory function
- > Air Output: 12-13 litres/minute
- > Power Input: AC220-240V, 50-60Hz
- > Power Consumption: 9W
- > Fitted with hanging brackets
- > Alternating and static modes
- > Visual and audible alarm for low pressure, power failure and alternate failure
- > Control panel lock feature to avoid accidental change of settings
- > Max firm mode


ALT-9300 – Alerta Bariatric 2 – a replacement alternating pressure relieving mattress system with cell-on-cell air cells, a static base section and an in-use height of 10" for effective prevention and treatment of bariatric users up to very high risk of developing a pressure ulcer in hospital, nursing and care home environments.

With simple to use settings and functionality, the **Alerta Bariatric 2** enables the care provider to quickly set up the mattress system and have it operating at optimal pressure for a specific user with ease.

The wide range of features make the **Alerta Bariatric 2** a highly versatile and cost effective solution which has been manufactured to comply with the most stringent quality and in-use guidelines.

Alerta Bariatric 2 incorporates cutting-edge **SensaCare Truflo Technology®** - constant auto pressure sensing through an air sensor and microcomputer regulator to provide ultra-low interface pressure and promote an even ambience for natural sleep patterns and stable blood circulation with Ultra-Silent™ pump operation.

KEY FEATURES AND BENEFITS



Nylon TPU coated cells



Independently removable cells



Covert sealed air cells



Removable heel cells



Pillow function



CPR release



Anchoring straps



Multi-stretch, waterproof & vapour permeable PU cover



Antimicrobial, machine washable



360 Degree zipper



Robust pump connection



Transport mode



350KG Capacity



Remote control

CONTROL PANEL

Digital LED display for easy use

Visual and audible warning of air loss, power failure and alternate failure

Remote control communication




Static/alternating modes

Seat inflation for additional surface support to facilitate the sitting position

Control panel lock to prevent unauthorised or accidental tampering (hold for 2 sec)

Power on



Clinical pressure mapping evaluation





**BARIATRIC
120CM VERSION**

Available in 90cm
and 120cm



ALT-HYB2
ALERTA SENSAFLO
HYBRID MATTRESS ONLY


ALT-HYB2/05
ALERTA SENSAFLO HYBRID
MATTRESS WITH PUMP

ALT-HYB2/4
BARIATRIC 4FT WIDE
ALERTA SENSAFLO HYBRID
MATTRESS ONLY

ALT-HYB2/05/4
BARIATRIC 4FT WIDE
ALERTA SENSAFLO HYBRID
MATTRESS WITH PUMP

Ergonomically castellated
pillow function

In the centre of the mattress are 10
foam filled air cells which the user
interfaces with directly



Four adaptable gel-foam heel zone
cells can be individually removed and
repositioned to create zero pressure
under the heel



Built-in fire evacuation system with
straps and handles, allow the mattress
to be quickly moved with the user in
position during emergency situations

The **Alerta Sensaflo Hybrid** Mattress is the world's first 4 in 1 hybrid mattress, including a built-in fire evacuation system. It benefits from foam-filled air cells, SensaGel adaptive foot cells and an in-use height of 6" for effective prevention and treatment of users up to very high risk of developing a pressure ulcer in hospital, nursing, and care home environments.

When used without a pump the **Alerta Sensaflo Hybrid** performs the same as a high specification foam mattress and when used with a pump it performs the same as an alternating air system. There is no requirement to remove the user from bed to change from a foam system to an alternating air system.

The **Alerta Sensaflo Hybrid** has a built-in fire evacuation system with straps and handles, allowing the mattress to be quickly moved with the user in position during emergency situations. There are four adaptable gel-foam heel zone cells that can be individually removed and repositioned to create zero pressure under the heel.

By inflating the mattress and sealing off with the transport cap you create a balanced-air self-adjusting semi-active mattress. The air cells are contained within a high-density foam perimeter which creates a smooth transition from the side rail to the air cells.

The **Alerta Sensaflo Hybrid** incorporates cutting-edge SensaCare TruFlo Technology® - constant auto pressure sensing through an air sensor and microcomputer regulator to provide ultra-low interface pressure and promote an even ambience for natural sleep patterns and stable blood circulation with Ultra-Silent™ pump operation.

Key Features

- > Pillow function
- > CPR release
- > Robust pump connection
- > Transport mode
- > Profiling side sections
- > Adaptable gel-foam heel zone
- > Built-in evacuation system

Mattress Specification

- > For users up to very high risk of developing a pressure ulcer
- > CPR quick release toggle
- > Max load: 250kg
- > Min load: 30kg
- > Mattress depth: 150mm (6")

Cover Specification

- > Multi-stretch and vapour permeable PU cover
- > Waterproof and machine washable cover
- > Antimicrobial cover with white underside
- > 360 degree zipper
- > BS7177: Crib 5
- > Mains cable management system

Pump Specification

- > Alternating and static modes
- > Visual and audible alarm for low pressure, power failure and alternate failure
- > Control Panel lock feature to avoid accidental change of settings
- > Fitted with hanging brackets
- > Max firm mode





ALT-HYB-C-SYS
ALERTA SENSAFLO HYBRID
CUSHION WITH PUMP



ALT-HYB-C-SYS - Alerta Sensaflo Hybrid cushion system – an alternating foam-filled air cell pressure relieving cushion system for effective prevention and treatment of users up to very high risk of developing a pressure ulcer in hospital, nursing and care home environments.

With simple to use settings and functionality, the **Alerta Sensaflo Hybrid** cushion enables the care provider to quickly set up the cushion system and have it operating at optimal pressure for a specific user with ease. There is no requirement to remove the user from a chair to change from a foam cushion to an alternating air system.

Alerta Sensaflo Hybrid cushion can be used without a pump and boasts a unique SensaGel gel-infused memory foam topper for unrivalled pressure redistribution and improved circulation. When used with a pump it performs the same as an alternating air system. By inflating the cushion and sealing off with the transport cap you can create a balanced-air self-adjusting semi-active cushion.

The **Alerta Sensaflo Hybrid** incorporates cutting-edge **SensaCare Truflo Technology**®; with constant pressure sensing through an air sensor and microcomputer regulator to provide ultra-low interface pressure, and ultra-silent pump operation to promote an even ambience for natural comfort and stable blood circulation.

Cushion Specification


- > Cushion Dimensions: 45x45x12cm inflated including SensaGel insert
- > 45x45x10cm uninflated
- > 45x45x8cm unflated & SensaGel insert removed
- > Cushion Weight: 1.5kg (3.3lb)
- > Cell Structure: Foam filled cell
- > Max Load: 160kg (353lb)

Cover Specification

- > Multi-stretch PU
- > Vapour permeable
- > Waterproof
- > Machine washable
- > Antimicrobial
- > 360 degree zipper
- > White underside of cover
- > BS7177: Crib 5

Pump Specification

- > Pump Dimensions: 27 x 15.5 x 10 cm (10.5 x 6.1 x 3.9")
- > Pump Weight: 1.6kg (3.5lb)
- > Cycle Time: 10 minutes
- > Power Input: AC220-240V, 50-60Hz
- > Fitted with hanging brackets
- > Alternating and static modes
- > Visual and audible alarm for low pressure




CONTROL PANEL
Digital LED display for easy use

Digital user weight input




Ultra-Silent™ pump operation to avoid disturbance



Visual and audio warning of air loss

Static mode (on when LED lit)

Power on



Clinical pressure mapping evaluation





ALT-213/02 ALERTA PARTNER CUSHION SYSTEM

ALT-213/02 – Alerta Partner – an alternating pressure relieving cushion system with a sealed 2” foam base for effective prevention and treatment of users up to high risk of developing a pressure ulcer in hospital, nursing and care home environments.

With simple to use settings and functionality, the **Alerta Partner** enables the care provider to quickly set up the cushion system and have it operating at optimal pressure for a specific user with ease.

The **Alerta Partner** is a highly versatile and cost effective solution which has been manufactured to comply with the most stringent quality and in-use guidelines.

Cushion Specification

- > Cushion Dimensions: 45 x 50 x 10 cm (17.5 x 19.5 x 4”)
- > Cushion Weight: 1.4kg (3.1lb)
- > Cell Structure: Cell-on-foam
- > Max Load: 150kg (331lb)

Cover Specification


- > Multi-stretch PU
- > Vapour permeable
- > Waterproof
- > Machine washable
- > Antimicrobial
- > 360 degree zipper
- > White underside of cover
- > BS7177: Crib 5

Pump Specification

- > Pump Dimensions: 27 x 13.5 x 9 cm (10.5 x 5 x 3.5”)
- > Pump Weight: 1.6kg (3.5lb)
- > Cycle Time: 12 minutes
- > Power Input: AC220-240V, 50-60Hz
- > Power Consumption: 7W
- > Fitted with hanging brackets
- > Alternating and static modes
- > Visual and audible alarm for low pressure and power failure

CONTROL PANEL

Visual and audible warning of air loss and power failure



Weight setting control knob

Static/alternating modes

KEY FEATURES AND BENEFITS



Nylon TPU coated cells



Independently removable cells



Multi-stretch, waterproof & vapour permeable PU cover




ALT-214/02B - Alerta Partner Plus - an alternating pressure relieving cushion system with a sealed 2” foam base for effective prevention and treatment of users up to very high risk of developing a pressure ulcer in hospital, nursing and care home environments.

Cover Specification


- > Cushion Dimensions: 63 x 51 x 12cm (24.8 X 20 X 4. 7”)
- > Max user weight: 250kg (551lb)



ALT-215/04 ALERTA MOBILE BATTERY CUSHION SYSTEM




CONTROL PANEL



Comfort setting

Visual and audible warning of low battery and low pressure

KEY FEATURES AND BENEFITS



TPU coated cells



Independently removable cells



Multi-stretch, waterproof & vapour permeable PU cover



Antimicrobial, machine washable



360 Degree zipper



ALT-215/04 – Alerta Mobile – a battery powered alternating pressure relieving cushion system for effective prevention and treatment of users up to high risk of developing a pressure ulcer in hospital, nursing and care home environments. The **Alerta Mobile** control unit is equipped with a long lasting Lithium Ion battery. In static mode the battery gives a remote operation time of more than 24 hours and in alternating mode the system can last at least one day.

With simple to use settings and functionality, the **Alerta Mobile** enables the care provider to quickly set up the cushion system and have it operating at optimal pressure for a specific user with ease.

The **Alerta Mobile** is a highly versatile and cost effective solution which has been manufactured to comply with the most stringent quality and in-use guidelines.

Cushion Specification

- > Cushion Dimensions: 45 x 50 x 10 cm (17.5 x 19.5 x 4”)
- > Cushion Weight: 2.4kg (5.3lb)
- > Cell Structure: Cell-on-foam
- > Max Load: 130kg (286.6lb)

Pump Specification

- > Pump Dimensions: 21 x 10 x 6 cm (8.2 x 4 x 2.5”)
- > Pump Weight: 0.7Kg (1.54lb)
- > Cycle Time: 10, 15, 20 minutes
- > Power Input: AC220-240V, 50-60Hz
- > Battery: 12V Lithium 2200mAh
- > Enclosed pump case fitted with hanging straps
- > Alternating and static modes
- > Visual and audible alarm for low pressure and low battery power

Cover Specification

- > Multi-stretch PU
- > Vapour permeable
- > Waterproof
- > Machine washable
- > Antimicrobial
- > Enclosed zipper
- > White underside of cover
- > BS7177: Crib 5



Product Selector

													
													
User Risk Level	High/Very High	Very High	Med/High	High	High	High	Very High	Very High	Very High	Very High	High	High	High
Max Load	250kg	160kg	160kg	160kg	160kg	200kg	200kg	200kg	230kg	350kg	150kg	250kg	130kg
Cell structure	Foam and air/foam	Foam and air/foam	Cell-on-cell	Cell-on-cell	Cell-on-cell	Cell-on-cell -on-foam	Cell-on-cell	Cell-on-cell	Cell-on-cell	Cell-on-cell	Cell-on-cell -on-foam	Cell-on-cell -on-foam	Cell-on-cell -on-foam
Mattress/cushion depth	15cm	12cm	12.7cm	12.7cm	12.7cm	17.7cm	20cm	20cm	20cm	25cm	10cm	12cm	10cm
Overlay system			✓	✓	✓								
Replacement system	✓	✓				✓	✓	✓	✓	✓	✓	✓	✓
Auto weight sensing					✓			✓					
Built-in evacuation system	✓												
Nylon TPU coated cells			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Independently removable cells	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Heel zone	✓					✓	✓	✓	✓				
Covert sealed air cells			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Pillow function	✓		✓	✓	✓	✓	✓	✓	✓	✓			
CPR	✓		✓	✓	✓	✓	✓	✓	✓	✓			
Anchoring straps			✓	✓	✓	✓	✓	✓	✓	✓			
Zippered storage bag			✓	✓	✓	✓	✓	✓	✓	✓			
Multi-stretch PU cover	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Waterproof & vapour permeable cover	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Antimicrobial & washable cover	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
360 degree zipper	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Robust pump connection	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Transport mode	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Remote control					✓		✓	✓		✓			
Clinical pressure mapping evaluation	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓



Suction Machines

AS1003A
3A PROFESSIONAL ASPIRATOR
SINGLE PUMP, 1000ML BOTTLE



- > 16 litre/minute flow rate
- > Adjustable vacuum level
- > Machine only weighs 2.3kg
- > Carry handle

- What's included?**
- > Machine
 - > 1000ml jar
 - > Suction tubing
 - > 1 suction catheter
 - > Spare anti-bacterial filter
 - > Mains power lead
 - > Connector/flow regulator
 - > Disposable jar liner

AS903A
3A PROFESSIONAL ASPIRATOR
DOUBLE PUMP, 1000ML BOTTLE



- > 22 litre/minute flow rate
- > Adjustable vacuum level
- > Machine only weighs 3.2kg
- > Carry handle

- What's included?**
- > Machine
 - > 1000ml jar
 - > Suction tubing
 - > 1 suction catheter
 - > Spare anti-bacterial filter
 - > Mains power lead
 - > Connector/flow regulator
 - > Disposable jar liner

AS457A
3A MINI RECHARGEABLE
PORTABLE ASPIRATOR



- > 30 litre/minute flow rate
- > Adjustable vacuum level
- > Machine only weighs 4.6kg
- > Carry handle
- > Rechargeable for independent use
- > Can also be mains operated
- > 12V connection facility

- What's included?**
- > Machine
 - > 1000ml jar
 - > Suction tubing
 - > 1 suction catheter
 - > Spare anti-bacterial filter
 - > Mains power lead
 - > Connector/flow regulator
 - > Disposable jar liner
 - > Shoulder bag/carry case

Nebulisers

AP508A
HAPPYNEB III
NEBULISER



- > 14 litre/minute flow rate
 - > .45ml/minute nebulisation rate
 - > Machine weighs 2kg
 - > Mains operated
- What's included?**
- > Nebuliser
 - > Power cable
 - > Tubing
 - > 2 face masks
 - > Chamber
 - > Mouth piece
 - > Nose piece
 - > Filter

Accessories

3A1385
ANTIBACTERIAL FILTER
FOR 3A PROFESSIONAL
ASPIRATORS



3AC285
REPLACEMENT
VASE 1000ML



3A561
SILICON SUCTION
TUBING 1.3M LONG



3A1687
DISPOSABLE SUCTION
LINER



3A560
MANUAL FLOW
REGULATOR
& CONNECTOR



3AC170
FACE MASK KIT
FOR NEBULISER

- What's included?**
- > Face mask
 - > Air tube
 - > Chamber



3A1055
MULTI VOLTAGE
CHARGER UNIT FOR
AS457A BATTERY
PORTABLE ASPIRATOR



Diagnostics

ALT-DE100 DIGITAL NON-CONTACT FOREHEAD & EAR THERMOMETER

An easy-to-use functional thermometer for recording body temperature quickly and accurately. It holds a memory of the last 30 readings and automatically shuts down after 15 seconds of no use.



ALT-DE200 UPPER ARM DIGITAL BLOOD PRESSURE MONITOR

An easy-to-use functional device for recording blood pressure quickly and accurately. It measures systolic pressure, diastolic pressure and pulse. With automatic inflation and deflation, this device is comfortable to wear and provides a clinically precise reading in seconds.

It has a memory capacity for 2 sets of 90 readings, provides an average of the latest 3 readings and automatically shuts down after no use.

A cuff is provided and fits upper arm circumferences of 22-32cm.



ALT-DE102 DIGITAL BODY THERMOMETER

An easy-to-use functional thermometer for recording body temperature quickly and accurately. It holds a memory of the last reading and automatically shuts down after 10 minutes of no use.



ALT-DE300 FINGERTIP PULSE OXIMETER

An easy-to-use functional oximeter for recording blood oxygen saturation and pulse rate quickly and accurately by simply placing on the finger. This device is comfortable to use and provides a clinically precise reading in seconds. It automatically turns off after no use and has a low battery indicator.



Terms & Conditions

1. GENERAL

The following terms are the standard Terms & Conditions of Caretua. Caretua concludes contracts for the supply of goods and services only subject to these terms and any person, company, business or organisation, (hereafter "the Customer") seeking to be supplied with goods or services by Caretua accepts that these terms shall govern relations between Customer and Caretua to the exclusion of any other terms, including conditions, warranties or representations, written or oral, express or implied, even if contained in any of the Customer's Documents which purports to provide that the customer's own terms shall prevail. Only alterations to these Terms agreed in writing by Caretua shall be acceptable.

2. ACCEPTANCE

Any order or other purported acceptance of Caretua's quotation made by the Customer shall be deemed to be an unqualified acceptance that these terms shall apply to any contract concluded between Caretua and the Customer for the supply of goods and services, and by dispatching the same the Customer waives his own terms.

3. REFUSAL OF ORDER

Caretua reserves the right at its sole discretion to accept or refuse any order placed by the Customer on the basis of quotations issued, and in the event of a refusal, no damages or expenses of any kind whatsoever shall be payable by Caretua to the Customer.

4. PRICE

a) The price contained in Caretua's quotation is based upon the cost to Caretua of labour, materials and transport at the date of such quotation, and in the event of an increase in such cost caused by any reason, Caretua shall be entitled to vary its prices accordingly, whether or not such increase was foreseeable.
b) Where the price included installation, it is based upon free and uninterrupted access to and possession of fully prepared working areas being made available to Caretua during normal working hours. In the event that such access and possession are not made available, or that the working areas are not duly prepared to Caretua's requirements for immediate installation of the goods, without prejudice to any other right which Caretua may have, Caretua shall at its sole discretion be entitled to vary the price accordingly.

5. DESCRIPTION OF GOODS

Please note that all items are sold by product description and not by product code. Product codes are listed to enable identification of goods and no guarantee of any specific manufacturers/suppliers products are to be inferred from such references. Product codes MUST be used with all orders.

6. PAYMENTS

a) Unless otherwise stated in Caretua's quotation all prices are strictly net and exclude V.A.T.
b) At the Seller's sole discretion the price shall be either:
(1) As indicated in the Seller's quotation, which shall be binding provided that the Buyer accepts the quotation in writing within 14 days; or
(2) As otherwise agreed in writing between the Seller and the Buyer.

The Seller reserves the right to change the price in the event of a variation to the Seller's quotation. At the Seller's sole discretion, a deposit may be required. Invoices will be issued upon order confirmation, and unless otherwise agreed in writing, payment shall be due 30 days from the invoice date ("Net 30"). Time for payment for the goods shall be of the essence.

c) At the Seller's sole discretion:

(1) In exceptional cases (e.g. custom or special-order goods), the Seller may require full or part payment prior to delivery or may agree an instalment schedule in writing.
(2) Payment may be made by cash, cheque, bank transfer, credit card, or by any other method agreed between the Buyer and the Seller. VAT and any other taxes or duties that may be applicable shall be added to the price except where expressly included in the price.

d) Should the Customer default in payment for whatever reason on the due date of any sum, without prejudice to any other right which Caretua may have, Caretua shall be entitled to charge interest on such sum accruing from the due date at 8.00% per annum (0.022% per day). Penalty interest due for late payments is calculated on a daily basis.

e) Where payment on any contract is not paid in full, or within the agreed credit terms, Caretua reserves the right to withdraw all guarantees and warranties given on its goods or services, without further notice.

7. TIME FOR DELIVERY

a) Any times stated or agreed by Caretua for delivery, dispatch or completion, either in its quotation or by any other means is not of the essence of any contract, either as to supply or as to installation. Such times are given by way of general information only, and in the event that delivery dispatch or completion is not made for any reason whatsoever at the times so stated, Caretua shall not be liable for any loss or damage whatsoever sustained by the Customer.
b) In the event that the Customer does not take delivery of the goods forthwith upon being notified by Caretua that manufacture has been completed, Caretua shall be entitled to charge and recover storage at the rate of 1.25% of the contract value per month, which shall be added to the price stated in Caretua's quotation and shall be paid in accordance with Clause 5 of these Terms.

8. DELIVERY AND RISK

a) Unless otherwise stated in Caretua's quotation the cost of delivery from Caretua's works to the place for delivery stated in such quotation is included in the price but it shall be the responsibility of the Customer entirely at his own cost and at his own risk, to unload. Where the price includes installation it shall further be the responsibility of the Customer at his own cost to provide adequate dry and secure storage of the goods pending and during such installation. All risks in the goods shall pass to the Customer upon completion of unloading, at which time a delivery note will usually be handed to the Customer or his representative or left with the goods. Caretua's liability to the Customer for missing or damaged goods shall be limited to any sums recoverable under a policy of insurance in respect of such risks, which may at Caretua's discretion be maintained by Caretua. If no such sums are recoverable or if no such policy is maintained, there shall be no liability whatsoever on Caretua in respect of such goods.
b) In any event, and without prejudice to the foregoing, any claim relating to missing or

damaged goods which ought to be revealed by a reasonably diligent examination, shall be notified in writing to Caretua and to any carrier involved, within 3 days of the receipt of any of the goods or part thereof by the Customer his servants or agents, and in default of such notification any such claim shall be absolutely barred.

c) At the seller's sole discretion delivery of the goods shall take place when:

(1) The buyer takes possession of the goods at the seller's address or
(2) The buyer takes possession of the goods at the buyer's address (in the event that the goods are delivered by the seller or the seller's nominated carrier) or
(3) The buyer's nominated carrier takes possession of the goods in which event the carrier shall be deemed to be the buyer's agent.
At the seller's sole discretion the costs of delivery are:
(1) Included in the price or
(2) In addition to the price or
(3) For the buyer's account
The failure of the seller to deliver the goods shall not entitle either party to terminate this contract. The seller shall not be liable for any loss or damage whatever due to failure by the seller to deliver the goods (or any of them) promptly or at all. If the buyer is for any reason unable to take delivery of the goods such that re-delivery of the goods is required, then the buyer shall be liable for the costs incurred by such re-delivery.

For the avoidance of doubt, the timing of invoicing and payment obligations shall be governed by Clause 6 (Payments) and shall not affect the passing of risk or ownership under this Clause.

9. VARIATION OF TERMS

No variation of these terms or of any quotation or of any contract shall be valid unless agreed to in writing and signed by a Director, the Secretary or a duly appointed Senior Executive of Caretua.

10. SCAFFOLDING

Scaffolding and ladders will be supplied by the Customer without charge to Caretua, but in the event that Caretua is unable to perform installation due to the inadequacy or non-availability of scaffolding and ladders, Caretua may at any time supply all necessary scaffolding and ladders from any source and add any extra cost thereby incurred to the price.

11. RESERVATION OF TITLE

The risk in the goods shall pass to the Customer upon delivery, but ownership thereof shall remain in Caretua until payment in full has been made (each order being considered as a whole). Before payment is made in full, the customer shall have power to resell the goods (as principal towards sub-purchaser but as agent as between sub-purchaser and Caretua) and Caretua shall be beneficially entitled to, and, the Customer shall be under fiduciary duty to account to Caretua for, the proceeds of resale and any claim thereto. If the Customer, not having made payment in full for the goods, mixes them with other goods or uses them in the manufacture of other products, the ownership of the other goods or products shall thereupon vest in Caretua as security for such payment, and accordingly the provisions set out in the immediately preceding sentence shall as far as appropriate apply to such other goods or products. Until such payment is made in full the Customer shall clearly identify the goods or the said other goods or products as being the property of Caretua. Caretua shall be entitled forthwith to recover and resell any or all of such goods or products to which Caretua has title hereunder and to enter upon the premises of the Customer or sub-purchaser, with such transport as may be necessary for that purpose if the Customer commits any default hereunder; which expression shall, without prejudice to the generality thereof, include failure to pay Caretua on the due date, the appointment of a receiver of the Customers business or the presentation of a petition to wind up the Customer's business. Nothing herein shall entitle the Customer to return the goods or to refuse or delay payment for them.

12. QUALITY AND CONDITIONS OF GOODS

a) Caretua warrants that goods, parts or materials manufactured by them shall be of good materials and workmanship and that good workmanship will be employed in assembling parts or materials not manufactured by them. In any event, Caretua's above liability with regard to the quality and condition of the goods shall be limited absolutely to the repair or replacement of goods parts or materials which do not comply with this warranty by reason of defects in materials and workmanship arising within 12 months (Excluding Batteries which are guaranteed for three months only) of risk passing under Clause 7 of these Terms and to a maximum value of the original price of the goods. Save as aforesaid Caretua undertakes no liability whatsoever in regard to goods or materials whether manufactured by themselves or by any other person, and any condition or warranty that might otherwise be incorporated by reason of statute or common law is hereby expressly excluded.
b) Without prejudice to the foregoing, if called upon to do so by the Customer in writing, Caretua shall use its best endeavors to assign to the Customer the benefit of any warranty guarantee indemnify claim privilege or other right which Caretua may have in regard to the manufacturers or suppliers of any goods parts or materials not manufactured by Caretua and relating to the quality or condition of such goods parts or materials.

13. LIABILITY

a) Caretua shall not in any circumstances whatsoever be liable to the Customer for any loss or damage involving any person properly or interest howsoever suffered by the Customer in connection with the installation, use, functioning or state of the goods, or in connection with anything done or omitted to be done by Caretua, its servants or agents, at the site nominated by the Customer.
b) The Customer shall indemnify Caretua against all actions claims or demands by third parties in tort or otherwise arising directly or indirectly in connection with any of the matters in sub-clause (a) aforesaid.
c) Without prejudice to the generality of these terms or the foregoing sub clauses, Caretua will in no circumstances whatsoever owe a liability to the customer in excess of the amount of the price hereunder.

14. IMPOSSIBILITY OF PERFORMANCE

Caretua shall be entitled by written notice to the Customer to cancel any contract concluded between Caretua and the Customer should Caretua be hindered or prevented by any cause beyond its reasonable control from performing the same, including a cause which renders performances commercially difficult, expensive or unprofitable.

15. SUB-CONTRACTING

Caretua shall be entitled to sub-contract or assign without consent all or any of its obligations hereunder.

16. FRESH INSTRUCTIONS

The Customer may prior to dispatch of the goods or any part thereof from Caretua's Works, but in good time to enable Caretua to withhold such dispatch, give notice in writing to Caretua requesting that the goods shall be altered to meet the Customer's requirements or that other or new arrangements be made as to the place of delivery of the goods. Caretua shall use its best endeavors to comply with any such reasonable request, provided always that in complying with any such request Caretua shall be entitled to vary delivery times and to vary the price accordingly, as well as to impose such other conditions as Caretua at its sole discretion may require.

17. RESALE

Since the goods are manufactured to fulfill the Customer's particular requirements, in the event that the Customer does not fulfill his obligations hereunder, Caretua may be unable to re-sell the goods or any part thereof at better than scrap value and for the purpose of calculating Caretua's damages, Caretua shall owe no duty to seek to resell the same at better than scrap value.

18. WARRANTY

Any warranty in relation to the goods as supplied is limited to that offered by the manufacturer of the said equipment and the seller shall not warrant in any way as to the suitability or otherwise of the goods and the seller shall not be bound by nor responsible for any term, condition, representation or warranty which is given by the manufacturer of the goods.

19. CANCELLATION

The seller may cancel these terms and conditions or cancel delivery of the goods at any time before the goods are delivered by giving written notice. On giving such notice the seller shall repay to the buyer any sums paid in respect of the price. The seller shall not be liable for any loss or damage whatever arising from any such cancellation. In the event that the buyer cancels delivery of the goods, the buyer shall be liable for any loss incurred by the seller (including but not limited to any loss of profits) up to the time of cancellation.

20. RETURNS

Goods correctly supplied may not be returned without the Seller's written consent, and application for such consent can be considered only within 7 days of the invoice date. Duty authorised returns must be sent at the expense of the Buyer, and the Seller reserves the right to impose a handling/restocking charge on such goods of 15% of the value. Non-stock items obtained for a Buyer to special order cannot be returned under any circumstances.

21. SECURITY AND CHARGE

The buyer may be required by the seller to enter into a guarantee agreement with another nominated party by the seller in respect of the purchase of the goods. Any such guarantor will be liable to the seller if the buyer refuses, neglects and/ or is unable to pay the fees due on the due date.

22. DATA PROTECTION

The buyer and the guarantor (if separate to the buyer) irrevocably and unconditionally consents for the seller to collect, retain and use any information about the buyer for the purpose of assessing the buyers credit worthiness or marketing products and services to the buyer and the disclosed information about the buyer whether collected by the seller from the buyer directly or from any other source to any credit provider or any credit reported agency for the purpose of providing or obtaining a credit reference, debt collection or listing a default by the buyer (whether before or after judgement).

23. TERMINATION

Caretua may without incurring further liability terminate the Contract by written notice if in its reasonable opinion the Customer is unable to make payment in accordance with the terms hereof. Without prejudice to any other right, which Caretua may have, upon such termination Caretua shall be entitled to receive payment on a quantum meruit basis in respect of work completed or in progress at the date of termination.

24. FURTHER SERVICES

The terms hereof shall apply mutatis mutandis in regard to any further services after completion of the contract, which Caretua may at its discretion perform.

25. NOTICES

Any communications or notices hereunder may be given or made by sending the same by ordinary pre-paid first class post; in the case of the Customer to his last known address; and in the case of Caretua to the address shown at the top of its quotation or upon its letter heading, and if so sent, shall be deemed to have been given or made on the date when posted.

26. INTERPRETATION

Contract shall be governed by and Construed in accordance with Irish Law. The Irish courts shall have sole jurisdiction in this regard.

27. PRIVACY POLICY

We will not, under any circumstances whatsoever, give out or sell your information (including name and email address) to anyone.

If you would like to be removed from our mailing list, please send us an email to info@caretua.com with the word "unsubscribe" in the subject bar and we'll remove you from our mailing list immediately.

If you require any further information please contact us on 01 443 3390.



20 Years
ANNIVERSARY
2006 – 2026




IRE - Dublin
U3, Westpoint Business Park,
Mulhuddart, Dublin 15, D15 R295.
P: +353 1 443 3390

UK
P: +44 (0)20 8133 3907

NI - Belfast
P: +44 (0)28 9581 8304

E: info@caretua.com
W: www.caretua.com



BEDS & ACCESSORIES | OVERBED TABLES | BED RAIL BUMPERS | PATIENT POSITIONING | EVACUATION
LAUNDRY & WASHABLES | PATIENT TRANSFERS | WHEELCHAIRS | WALKING AIDS | SHOWERING &
TOILETING | FOAM PRESSURE CARE | GEL PRESSURE CARE | FALL PREVENTION | HIP PROTECTION
ALTERNATING PRESSURE CARE | HYBRID PRESSURE CARE | SUCTION & NEBULISATION